


K-LITE



Product Portfolio
August 2019

KULITE



Beautifully simple . Lighting simplified

K-LITE's Journey in Light

Light creates infinite possibilities for our imagination and for our lives ...

In 1977 K-LITE began a long journey of innovation in lighting products, chasing the dream of light.

Light allows us to realize the possibilities of our imagination. The quality of light influences the quality of life and it is clear that light must combine technique and emotions contemporaneously, defining new values, meanings, feelings, culture, comfort etc., overcoming the simple light - dark dichotomy. Furthermore, it must achieve this in compliance with the environment and available resources. Light has a communicative and social value in its ability to optimise urban spaces, giving the possibility of reclaiming the culture of a place, encourage aggregation, stimulating business and tourism, making events and architecture spectacular and increasing the feeling of safety.

K-LITE will continue to explore the mysteries of light which allow lifestyles to become better and better and our journey will lead to many places not yet even known ...

1977 ...



Indoor Wall Luminaires



Bulk Heads



Pathfinders




Flood Lights



Wall Brackets



In-Ground Luminaires



Underwater Luminaires



Up Down Lighters



Architectural Luminaires



Facade Luminaires



Post Top Luminaires



Street Lightings




Polar Luminaires



Tube Bollards



Bollards



Column Lights



Garden Lighting Poles



Polar Lighting Poles



Architectural Lighting Poles



Area Lighting Poles


The K-LITE Advantage

- For over 40 years K-LITE has stood for innovation and sustainable development in the lighting industry.
- High quality, economical and longevity, characterise the portfolio consisting of a whole new range of Architectural Luminaires.
- It is a constant endeavour of K-LITE to work on designing and developing new sustainable products to help conserve resources and improve the quality of life through light.
- With our commitment to invest continuously in innovation, creativity & design, we have developed a wide range of products that comply with stricter statutory and regulatory requirements, which includes ecologically sensitive and quality conscious issues.

Awarded



Certifications



Lighting Categories

Established in 1977, K-LITE has grown to become one of the leading designers and manufacturers of architectural luminaires. With our commitment to invest continuously in innovation, creativity & design, we have developed a wide range of products in both indoor and outdoor segment, catering to various applications, and styles that suit even the most discerning customer.

K-LITE lighting range is **ORGANISED** into **Categories** so that everyone can find their way around easily and specifically.

Consumer Lighting

Modern surface and recessed mounting luminaires are a contemporary alternative to traditional downlight solutions - efficient, powerful and decorative for creative interior lighting.


Consumer Luminaires	I
Indoor Wall Luminaires	15
Pendant Luminaires	16-17
Portico Luminaires	16-17



Office Lighting

Softlite luminaire suitable for modular ceiling system with various lamp options. High quality, economy and longevity characterize the portfolio consisting of a new range of LED Luminaires.

Commercial Luminaires	I
Down Lighters	10
LED Down Lighters	1-13



Industrial Lighting

Energy efficient Luminaires with high level of IP rating to protect against ingress of dust and insects, to maintain a consistent performance throughout the lifetime of the installation.

Industrial Luminaires	18-19
-----------------------	-------



Landscape Lighting

These Luminaires offer style and function with perfection, to ensure quality and durability of our product range, and our best-in-class value proposition. Sleek design with elegant looks complement any architecture & visual effect.

Landscape Luminaires	35
Bulk Head Luminaires	40
Up Down Lighters	39
Path Finders	36-37
In-Ground Luminaires	30-31
LED Underwater Lighting	29
Bracket Luminaires	38-39
Decorative Brackets	66



Facade / Speciality Lighting

All of our speciality fixtures are flawlessly finished and minimalist in design, they blend in so that everything else stands out.

Flood Lights	32-34
LED Strip Lights	24
Linear Profiles	20-23
IP68 Linear Profiles	26-27
Aviation Obstruction Lights	32



Retail Lighting

Lighting solutions suitable for use in a variety of retail applications creating attractive new possibilities for modern, dramatic and creative interior lighting.

LED Strip Lights	24
Down Lighters	10
LED Down Lighters	1-13
Track Lights	15



Bollards & Column Light

On paths, terraces and flowerbeds, as well as in house entrance areas or in commercial settings, these luminaires create a pleasant light effect. To complement this, K-LITE has an extensive collection of designs, finishes and style that suit even the most discerning customer.

Bollards	44-51
Tube Bollards	41
Column Light	42-44



Post Top/Garden Luminaires

Our range of Post top luminaires come with various lamping options e.g., LED / CFL / HID. Luminaires for energy-efficient illumination are designed & developed using the highest quality of raw material to increase durability & improve the quality of light.

Post Top Luminaires	52-59
Pathway Luminaires	60-64
Garden Lighting Poles	77-89



Street Lights

Energy efficient range of luminaires for road and residential streets that combines a clean look with powerful performance and robustness.

Street Lights	67-71
---------------	-------



Architectural Lighting Poles

Elegant & Powerful : A range of Architectural Lighting Poles and brackets designed to harmonise both in style and proportion that integrates well with in the surroundings.

Architectural Lighting Poles	90-99
Area Lighting Poles	100-105
Polar Lighting Poles	72-76




General Details

Base Plate Details	111-115
Pole Base Cover	79
Power Supply & Connectors	109
Symbols	110
Terms & Conditions	118



Quick Reference	116-117
-----------------	---------


GREAT LIGHTING MADE SIMPLE



FACADE



LANDSCAPE



GARDEN LIGHTING





Consumer Luminaires



METRO

1591	9W LED	606 x 126 x 57
1592	18W LED	1204 x 126 x 57



MIRROR LIGHT

1596	5W LED	351 x 35 x 78
1597	10W LED	579 x 35 x 78




LED BATTEN

		Center Cord
1594	9W LED	537 x 22 x 34
1595	20W LED	1137 x 22 x 34



Commercial Luminaires



POLAR PANEL - SIDE LIT

2270	40W LED	596 x 596 x 24
------	---------	----------------




POLAR PANEL - BACK LIT

2281	40W LED	N7 596 x 596 x 57
------	---------	-------------------

Colour : White



Tara Series



TARA ROUND

3307	8W LED	Ø112 x 34	Ø105
3308	15W LED	Ø162 x 34	Ø155
3309	22W LED	Ø216 x 38	Ø205



TARA SQUARE

3310	8W LED	□112 x 34	□105
3311	15W LED	□162 x 34	□155
3312	22W LED	□216 x 38	□205



TARA ROUND / SQUARE

3313 / 3316	8W LED	Ø112 x 38 / □112 x 38
3314 / 3317	15W LED	Ø162 x 38 / □162 x 38
3315 / 3318	22W LED	Ø216 x 42 / □216 x 42

Polycarbonate Housing



Launching Soon....

| K-LITE



DIVA ROUND / DIVA SQUARE

ID	Wattage	Dimension	Cutout(mm)
7671/72	6W LED	Ø/□120 × 28	Ø/□107
7665/68	10W LED	Ø/□120 × 28	Ø/□107
7666/69	18W LED	Ø/□170 × 28	Ø/□157
7667/70	26W LED	Ø/□225 × 28	Ø/□206



DIVA 7 ROUND / DIVA 7 SQUARE

ID	Wattage	Dimension	Cutout(mm)
7246/50	6W LED	Ø/□120 × 36	Ø/□107
7247/51	10W LED	Ø/□120 × 36	Ø/□107
7248/52	18W LED	Ø/□170 × 40	Ø/□157
7249/53	26W LED	Ø/□225 × 40	Ø/□206

Triac dimmable driver also available.



DIVA DEEP ROUND

ID	Wattage	Dimension	Cutout(mm)
3321	12W LED	Ø120 × 50	Ø110
3322	18W LED	Ø148 × 50	Ø138
3323	24W LED	Ø170 × 50	Ø160



DIVA DEEP SQUARE

ID	Wattage	Dimension	Cutout(mm)
3324	12W LED	□110 × 50	□100
3325	18W LED	□143 × 50	□133
3326	24W LED	□165 × 50	□155

Bema Series



BEMA ROUND

ID	Wattage	Dimension
7637	10W LED	Ø114 × 49
7325	16W LED	Ø114 × 49
7326	22W LED	Ø168 × 50
7327	36W LED	Ø212 × 50



BEMA SQUARE

ID	Wattage	Dimension
7639	10W LED	□112 × 49
7331	16W LED	□112 × 49
7332	22W LED	□167 × 51
7333	36W LED	□211 × 51

Die-Cast Aluminium Housing




Powered By **bridgelux**




- Luminaire housing to be ordered with required LED Module / GU10 Holder. All housing are suitable for 7W, 12W Module, For 18W module compatibility refer below
- Available CCT WW : 2700K, NW : 4000K & CW : 6000K
- CRI > 90

DALI / ANALOG / TRIAC DIMMABLE DRIVERS REFER ACCESSORIES PAGE


ID	Wattage	CRI	Dimension
8177	7W LED	>90	Ø50 x 59
8178	12W LED	>90	Ø50 x 81
8204	18W LED	>90	Ø50 x 80 x Ø75
8241	GU10 Holder	-	--




Glare Free Single



Glare Free Twin

 GLARE FREE 		
ID	Dimension	Cutout
7088	SQ 102	80 x 82


 GLARE FREE TWIN 		
ID	Dimension	Cutout
7089	181 x 102	160 x 82




Shopy Single



Shopy Twin

 SHOPPY SINGLE 		
ID	Dimension	Cutout
7097	SQ 110	99 x 99

 SHOPPY TWIN 		
ID	Dimension	Cutout
7098	200 x 110	189 x 99



Suitable for 7W,12W,18W LED Modules



Round Fixed




Round Adjustable




ROUND FIXED

ID	Dimension	Cutout
7083	Ø80	Ø72



ROUND ADJ



ID	Dimension	Cutout
7081	Ø80	Ø72



Square






Square Wall Washer




SQUARE

ID	Dimension	Cutout
7082	SQ80	Ø72



SQUARE

ID	Dimension	Cutout
7084	SQ80	75 x 75



SQUARE WALL WASHER



ID	Dimension	Cutout
7086	SQ80	75 x 75



Round



Round Wall Washer



ROUND

ID	Dimension	Cutout
7085	Ø78	Ø72




ROUND WALL WASHER


ID	Dimension	Cutout
7087	Ø78	Ø72


Suitable for 7W,12W LED Module only



		
SHINY - SPOT		
ID	Dimension	Cutout
3292	Ø82	Ø73




		
SHINY - SPECK		
ID	Dimension	Cutout
3293	Ø79	Ø70




Black Chrome

Black Chrome Wall Washer

		
BLACK CHROME		
ID	Dimension	Cutout
7739	Ø95	Ø90

Fixed



18W


		
BLACK CHROME WALL WASHER		
ID	Dimension	Cutout
7741	Ø95	Ø90

Fixed


18W

TRIMLESS SERIES



		
CROWN - PUSH FIT		
ID	Dimension	Cutout
3294	Ø84	Ø90

Fixed

		
CROWN - PUSH FIT		
ID	Dimension	Cutout
3295	SQ74	SQ85

Fixed

Suitable for 7W & 12W LED Module only



Wash




Oval



Round

WASH


ID	Holder	Dimension	Cutout
3319	GU10	Ø85	Ø58



ROUND

ID	Dimension	Cutout
7091	Ø92	Ø79

Suitable for 7W, 12W LED Module only



OVAL

ID	Dimension	Cutout
7092	Ø92	Ø76

Suitable for 7W, 12W LED Module only




Slim



Glossy



Round Adjustable



SLIM

ID	Dimension	Cutout
7094	Ø85	Ø75



ROUND ADJ


ID	Dimension	Cutout
7099	Ø88	Ø79

Suitable for 7W, 12W LED Module only




GLOSSY

ID	Dimension	Cutout
7093	Ø90	Ø79




SPOT

ID	Dimension	Cutout
7096	Ø120	Ø110




SPECK

ID	Dimension	Cutout
7095	Ø108	Ø93



White & White




White & Silver



Pinhole




Deep



PINHOLE

ID	Dimension	Cutout
7736	Ø80	Ø73

Suitable for 7W, 12W LED Module only



DEEP



ID	Holder	Dimension	Cutout
7674	GU10	Ø107	Ø99



White




ID	Wattage	Dimension
8186	25W LED	SQ 82 x 89
8187	35W LED	SQ 92 x 109



MEGA- GLOSSY

ID	Dimension	Cutout
3303	Ø157	Ø150



SLICE



ID	Dimension	Cutout
3306	Ø133	Ø125



Glare Free Twin



Glare Free Single




GLARE FREE

ID	Dimension	Cutout
3300	SQ 140	115 x 124




Glare Free Triple



GLARE FREE TWIN

ID	Dimension	Cutout
3301	255 x 140	230 x 124




GLARE FREE TRIPLE

ID	Dimension	Cutout
3302	367 x 140	342 x 124

**Features**

- Dark light technology
- Antiglare luminaire - UGR<16
- Adjustable upto 30° / Rotatable 355°
- Precision engineered high quality reflector
- Beam Angle : 15° / 24° / 38° with diffuser options
- Available CCT : 2700K - 6000K / CRI >90
- Tunable whites available on request
- Easy maintenance without removing the frame from false ceiling
- Suitable for all ceiling thickness upto 30mm
- Options : **F** : Fixed **A** : Adjustable **P** : Fixed Pin Spot **E** : Elliptical



DALI / ANALOG / TRIAC DIMMABLE DRIVERS REFER ACCESSORIES PAGE



ID	Wattage	Cutout	Dimension
3327	6W LED Trim	Ø50	Ø60 x 73
3333	6W LED Trimless	Ø50	Ø94 x 77



ID	Wattage	Cutout	Dimension
3328	12W LED Trim	Ø75	Ø86 x 104
3334	12W LED Trimless	Ø75	Ø127 x 104



Powered By
CITIZEN

Platina Series




ID	Wattage	Cutout	Dimension
3329	20W LED Trim	Ø95	Ø105 x 119
3335	20W LED Trimless	Ø95	Ø163 x 118



ID	Wattage	Cutout	Dimension
3330	35W LED Trim	Ø120	Ø133 x 145



ID	Wattage	Cutout	Dimension
3338	6W LED	Ø30	Ø33 x 91
3339	10W LED	Ø40	Ø44 x 100



ID	Cutout	Dimension
3331 Trim / 3340 Trimless	Ø75	Ø86 x 57
3337 Trim / 3341 Trimless	□82	□89 x 79

Housing Only / Module Extra

**RUBY**

ID	Wattage	BA	Cutout	Dimension
3296	8W LED	30°	Ø55	Ø62 x 80
3298	12W LED	23°	Ø75	Ø85 x 98
3299	25W LED	38°	Ø100	Ø110 x 121



BA 15° / 24° / 38°

GRACE - NARROW BORDER DOWNLIGHTER

ID	Wattage	Cutout	Dimension
3288	7W LED	Ø50	Ø60 x 66
3289	10W LED	Ø75	Ø83 x 81
3290	15W LED	Ø90	Ø100 x 105
3291	25W LED	Ø115	Ø130 x 116

**GEMMA ROUND**

ID	Wattage	BA	Cutout	Dimension
7656	10W LED	24°	Ø75	Ø85 x 65
7657	15W LED	24°	Ø98	Ø108 x 86
7658	25W LED	24°	Ø130	Ø145 x 104



PC C.O.D : Ø76

GEMMA ROUND MINI

ID	Wattage	Dimension
7664	5W LED	Ø88 x 42



C.O.D: Ø35

GEMMA ROUND MICRO

ID	Wattage	Dimension
7662	3W LED	Ø45 x 29



NEW

MILA

ID	Wattage	Cutout	Dimension
3332	12W LED	Ø70	Ø85 x 70
3320	20W LED	Ø95	Ø108 x 85

RM & SM Down Lighters



C.O.D : □147 □160 x 105

MENO

7477	2 x 13W CFLC
------	--------------

Colour : Silver Ash
Colour : White. IP 20



C.O.D : □208 □225 x 130

MENO

7478	2 x 18W CFLC
------	--------------

Colour : Silver Ash



C.O.D : Ø120 Ø143 x 85

MIMOSA

7473	1 x 10W CFLC
------	--------------

C.O.D : Ø175 Ø188 x 106
C.O.D : Ø202 Ø235 x 133**APUS**

7475	2 x 18W CFLC
------	--------------

7470	2 x 18W CFLC
------	--------------



C.O.D : Ø140 x 160

SURFO MINI

7392	E27
------	-----



Ø266 x 60

PAVO

3194	2 x E27
------	---------

Brite Reflector with Frosted Glass

Technical Specifications



- Recessed trimless aluminium profile for better thermal management.
- Installed on 12.5mm thick plasterboard surfaces.
- Covers included with the power feed profiles. 90° corners available in the same plane (symmetrical element for left and right corners), symmetrical 90° inner and outer corners in different planes.
- For connection to the driver: Permanent or adjustable fastening kits available (optional).
- Cable entries for through-wiring of mains supply cable

Product Benefits


- Visual comfort
- Compact dimensions
- Quick & simple installation.
- Linear profile
- Minimalist design

Area of Application

Corporate Office, Conference Center, Clubs, Villas, Restaurants, Show Room, Display Center.



More products to be added shortly



LIGHT BAR

3061	15W LED	600 x 30 x 72
3062	22W LED	900 x 30 x 72



SPOT LIGHT

3064	8W LED	170 x 34 x 59
------	--------	---------------



LINEAR SPOT LIGHT

3065	12W LED	137 x 34 x 72
------	---------	---------------



MAGNETIC PROFILE - TRIMLESS

3060	1000mm
------	--------

MAGNETIC PROFILE - TRIM

3195	1000mm
------	--------

Note : Max. Length available in 3 metres

TRIMLESS

8208	Magnet Recessed Inner Corner
8209	Magnet Recessed Outer Corner
8210	Magnet Recessed 90° Corner
8211	End Cap

TRIM

8212	90° Corner
8213	End Cap

Additional Accessories Refer Online



Accessories




Luminaire operating voltage is 24Vdc. Luminaire to be ordered with suitable power supply.

ID	Wattage / Lumens	Optic	C.O.D	Dimension (mm)
 7440	2W 187 lm	 12°  34°	38 x 38	44.5 x 44.5 x 47
 7445	4W 375 lm	 12°  34°	65 x 38	73 x 44.5 x 47
 7446	10W 910 lm	 12°  34°  48°	138 x 35	148 x 44.5 x 56.5
 7447	20W 1845 lm	 12°  34°  48°	271 x 35	281 x 44.5 x 56.5
 7449	30W 2750 lm	 12°  34°  48°	403 x 35	413 x 44.5 x 56.5
 7450, Glare cut off 58°	10W 910 lm		137 x 35	148 x 44 x 56.5
 7451, Glare cut off 58°	20W 1845 lm		271 x 35	281 x 44 x 56.5

Dimmable Drivers Refer Accessories Page




Line 'n' Dot



LINE 'N' DOT - LINEAR LIGHT



Multiple Design Options

3057	20W LED	1000 x 38 x 75
3056	30W LED	1000 x 38 x 75



Also available in 3 metres Length

Line 'n' Dot - Extended



NEW

SURFACE MOUNTING

3217	15W LED	82 × 82 × 80
3218	40W LED	120 × 120 × 90



NEW

RECESS MOUNTING



3208	5W LED	50 × 50	55 × 55 × 45
3209	4 × 4W LED	88 × 88	93 × 93 × 45
3210	9 × 4W LED	125 × 125	130 × 130 × 45



NEW

RECESS MOUNTING


3211	3 × 4W LED	125 × 50	130 × 55 × 45
3212	5 × 4W LED	200 × 50	205 × 55 × 45
3213	10 × 4W LED	390 × 50	395 × 55 × 45



Ø85 x 150

CYLIN VIVID

7297 / 7298	GU10	White&Black / Black&Gold
7299 / 7300	GU10	Gold&Black / Bronze&Black



□85 x 150

CUBUS VIVID

7356 / 7357	GU10	White&Black / Black&White
7358 / 7359	GU10	Gold&Black / Bronze&Black

**ASTRA ROUND**

BA 30°

3683	12W LED	Ø73 x 100
3684	20W LED	Ø94 x 116
3685	30W LED	Ø115 x 125

**ASTRA SQUARE**

BA 30°

3686	12W LED	□73 x 95
3687	20W LED	□95 x 110
3688	30W LED	□115 x 125




Black and Rose Gold & White and Silver.

**SLICE**



3662	GU10	Ø60 x 210
3660	GU10	Ø60 x 370
3659	GU10	Ø60 x 610

IP 22
CYLIN

7345	15W LED	Ø110 x 120
7346	25W LED	Ø130 x 150
7347	35W LED	Ø170 x 195

IP 22
CUBUS

7348	15W LED	□110 x 120
7349	25W LED	□130 x 135
7350	35W LED	□160 x 165



Ø73 x 25

ERIS - ROUND

7551	5W LED
------	--------



NEW

LIVI

3676	15W	Ø60 x 210
------	-----	-----------



Colour : White / Black

CRUX

3691	GU10	Ø56 x 178
------	------	-----------



Available BA 12° / 24° / 36°

PROXIMA

Colour : White / Black

3680	12W LED	Ø50 x 104 x 185
3681	20W LED	Ø64 x 108 x 210



NEW



Twist & Zoom : 15°-50°



TI Ø56 x 96 x 188



Colour : White / Black. Available BA 12° / 24° / 36°



ACCESSORIES

7803	1 Metre 2 Wire Track
3206	2 Metre 2 Wire Track
7807	I Connector
7814	L Connector
7819	T Connector
7824	+ Connector

TWISTER

3207	25W LED	TI Ø71 x 127
Colour : White		

CRUX

3692	GU10 Holder
Colour : White / Black	

PROXIMA

3677	12W LED	TI Ø50 x 135 x 177
3678	20W LED	TI Ø64 x 135 x 200
3679	30W LED	TI Ø78 x 143 x 236



C.O.D : Ø140



C.O.D : Ø170

VALEO MIDI

BA40°

7216	30W LED	Ø148 x 121
------	---------	------------

Colour : White. Available in CW / WW / NW

VALEO

BA40°

7217	40W LED	Ø180 x 147
------	---------	------------



C.O.D : Ø90

PULLOUT

3689	15W LED	Ø98 x 177
------	---------	-----------



C.O.D : 175 x 90 100 x 185 x 177

PULLOUT 2


3690	2 x 15W LED
------	-------------

Wall Lights




WALL SLICE

3661	GU10 W20
------	----------



WALL CYLIN VIVID


3693	GU10 W2	N11 Ø76 x 120 x 110
3694	2xGU10 W2	N12 Ø76 x 120 x 180



WALL CUBUS VIVID

3695	GU10 W2	N11 □75 x 125 x 110
3696	2xGU10 W2	N12 □75 x 125 x 180


Colour : Champagne gold / Silver. N11 : Up / Down Lighter. N12 : Up Down Lighter



WALL DENA SLIMMY

Colour : Black / Cream

4000	12W LED	305 x 28 x 90
4080	24W LED	575 x 28 x 90



WALL DENA

Colour : Black / Cream

3980	6W LED W18	111 x 108 x 94
3778	12W LED W19	226 x 108 x 94

Finish : Gold & Black Nickel, Copper & Nickel, Antique Copper at extra cost.

											
NEW						Ø260 x 90 Ø335 x 100 Ø260 x 90 Ø335 x 100					
VOLANS WAVY / VOLANS			MONA MIDI / MONA Colour : White & Yellow			ORCUS			CERES		
3174	36W LED	Ø497 x 88	3021	18W LED	Ø300 x 75	3025	1 x E27		3027	1 x E27	
3175	36W LED	Ø497 x 88	3006	30W LED	Ø415 x 80	3026	2 x E27		3028	2 x E27	
Colour changing - WW/NW/CW						3052	12W LED		3054	12W LED	
						3053	18W LED		3055	18W LED	


Pendant Luminaires

											
IP 50			Ø600 x 345						NEW		
JUNO MIDI / JUNO Colour : Silver / Gold			MAGNUM Colour : Black			ALPINA Colour : Yellow & Black			ROMAN ROUND Colour : Black		
3022	36W LED	Ø420 x 80	2881	E27 Holder		3045	E27	Ø360 x 236	2867	E27 TR/Clear	Ø250
3009	60W LED	Ø600 x 80	2880	36W LED					2868	E27 Clear	Ø400
											
IP 40			IP 03						IP 03		
PRISMA MEGA Colour : Silver Ash			TANSY FLOWER Colour : Silver			PELICAN FORT MICRO Colour : Silver			MAGUDAM MIDI Colour : Black / Gold		
3192	E27	Ø410 x 320	3023	30W LED	Ø230 x 385	3040	E27	Ø300 x 265	3051	30W LED	Ø350 x 505
3193	E27	Ø575 x 380	FANOS MINI / FANOS Colour : Silver Ash			3030	24W LED	Ø300 x 265	NEW		
			2771	16W LED	Ø114 x 246	PELICAN FORT MINI			IP 03		
			2772	30W LED	Ø165 x 261	3063	E27	Ø425 x 370	TRANSY Colour : Black		
						3014	30W LED	Ø425 x 370	3236	10W LED	□206 x 298

Supplied with adjustable suspension kit (1 metre).



NILA MIDI / NILA Colour : White / Black
2876 36W LED Ø400 x 57
2877 36W LED Ø500 x 57



SHINE MIDI / SHINE Colour : Silver / Gold
3038 27W LED Ø450 x 126
3039 36W LED Ø598 x 126



SONA MIDI / SONA Colour : Black
2882 12W LED Ø340 x 135
2883 18W LED Ø410 x 148



MOON MIDI / MOON Colour : Black / White / Silver
3041 36W LED Ø450 x 108
3042 84W LED Ø598 x 108



SHINE MIDI / SHINE Colour : Silver / Gold
3036 27W LED Ø450 x 108
3037 36W LED Ø598 x 108



SONA MIDI / SONA Colour : Black
2874 12W LED Ø340 x 102
2875 18W LED Ø410 x 115



CYLIN SLIMMY Colour : Black
3610 3W LED Ø38 x 400
3611 8W LED Ø60 x 300



CYLIN SLIMMY Colour : Black
3049 3W LED Ø38 x 400
3050 8W LED Ø60 x 300

Finish : Gold, Black Nickel, Copper, Nickel, Antique Copper at extra cost.


High Bay



IP 65

HIGH BAY


2872	100W LED	Ø250 x 178	Colour : Black
2869	150W LED	Ø300 x 182	
2873	200W LED	Ø350 x 184	



LINEAR HIGH BAY

3046	2 x 60W LED	1500 x 120 x 63	Colour : Graphite Grey
3058	3 x 60W LED	3000 x 120 x 63	

Industrial Luminares



IP 65


CORROSION DUST & JET PROOF LUMINAIRES

3780	40W LED	1263 x 130 x 78	Colour : Grey
------	---------	-----------------	---------------



MICROWAVE SENSOR
extra cost

Emergency Power : 3W-10W
Battery : Ni-Cd / Ni-Mh
Recharge time : 24 hours
Use time : 1.5 / 3hours
extra cost



IP 65

CORROSION DUST & JET PROOF LUMINAIRES

2870	T-5	1210 x 64 x 85	Colour : Grey
------	-----	----------------	---------------

2871	T-8	1270 x 86 x 95	
------	-----	----------------	--

Suitable for LED lamps



Arm Length : 240


MACHINE LAMPS

3171	B22d	Two Arms	Colour : Black
------	------	----------	----------------

3172	B22d	Three Arms	
------	------	------------	--

3173	B22d	Four Arms	
------	------	-----------	--

Petrol Bunk High Bay



PETROL BUNK HIGH BAY 2

2878	2 x 60W LED	340 x 265 x 214	Retrofit
------	-------------	-----------------	----------



PETROL BUNK HIGH BAY 3

2879	3 x 60W LED	340 x 345 x 214	Retrofit
------	-------------	-----------------	----------

High efficiency LED high bay luminaires designed to provide directional throw of light. The product design and construction of the luminaires are characterized by high luminous efficiency, an extremely long service life and uniform illuminance. Their sturdy construction makes them particularly suitable for areas where a high level of robustness is required.



POLAR HIGH BAY 1
3113 1 x 60W LED 342 x 106 x 164



POLAR HIGH BAY 2
3099 2 x 60W LED 342 x 155 x 205




POLAR HIGH BAY 3
3100 3 x 60W LED 342 x 235 x 245



POLAR HIGH BAY 4
3098 4 x 60W LED 342 x 315 x 245

Benefits

- LUMILEDS LUXEON LED Chips
- CRI > Ra70
- Luminous flux up to 6600 lm(60W)
- Built-in SPD, 10KV surge protection
- Efficacy up to 110 lm/W
- Operating temperature : -40~+50°C
- Power Factor>0.90
- IP68 LED Module, IP67 Driver/Connector




POLAR PRIME The Outperformer

Efficiency Upto 150 lm/w



POLAR PRIME HIGH BAY 1
3187 1 x 60W LED 342 x 106 x 164




POLAR PRIME HIGH BAY 2
3188 2 x 60W LED 342 x 155 x 205




POLAR PRIME HIGH BAY 3
3189 3 x 60W LED 342 x 235 x 245




POLAR PRIME HIGH BAY 4
3190 4 x 60W LED 342 x 315 x 245







3196 Al Profile with PC Opal Diffuser 1m




3084 Al Profile with PC Clear / Opal Matte Diffuser 1m




3082 Al Profile with PC Clear / Semi Clear Matte Diffuser 1m




3225 Al Profile with PC Clear / Semi Clear Matte Diffuser 1m



3226 Al Profile with PC Clear / Semi Clear Matte Diffuser 1m




3227 Al Profile with PC Clear / Semi Clear Matte Diffuser 1m



3228 Al Profile with PC Diffuser 1m




3229 Al Profile with PC Diffuser 1m






3198 Al Profile with PC Opal Matte Diffuser 4ft




3197 Al Profile with PC Opal Matte Diffuser 4ft




3199 Al Profile with PC Opal Matte Diffuser 4ft








3086 Al Profile with PC Opal Matt Diffuser 1m / 4ft





3085 Al Profile with PC Opal Matt Diffuser 1m / 4ft





3087 Al Profile with PC Opal Matt Diffuser 1m / 4ft




3200 Al Profile with PC Opal Matte Diffuser 4ft





3234 Al Profile with PC Opal Diffuser 4ft






3235 Al Profile with PC Opal Diffuser 4ft




3202 Al Profile with PC Opal Matte Diffuser 1m



3203 Al Profile with PC Opal Matte Diffuser 1m




3201 Al Profile with PC Diffuser 4ft



K-Lite Linear Series to be ordered with suitable light source & Power supply.

DALI / ANALOG / TRIAC DIMMABLE DRIVERS REFER ACCESSORIES PAGE

Rate inclusive of standard Accessories, Connectors & Customisation available on request at extra cost. Suspension kit set 1m & 2m at extra cost.




Advantages of BWF INFINITE

- The light line can be perfectly adjusted to the room dimensions, upto 50 meters without interruption and dark spots.
- Uniform illumination even around corners.
- PC Satine Blend / Prismatic Clear / Prismatic Translucent




Continuous Linear BWF Diffuser upto 50metres




3221

Al Profile with BWF Diffuser




1m / 4ft




3222

Al Profile with BWF Diffuser




1m / 4ft



3223

Al Profile with BWF Diffuser



1m / 4ft




DALI / ANALOG / TRIAC DIMMABLE DRIVERS REFER ACCESSORIES PAGE

K-Lite Linear Series to be ordered with suitable light source & Power supply. Black, White & Silver colour at extra cost.

Rate inclusive of standard Accessories, Connectors & Customisation available on request at extra cost. Suspension kit set 1m & 2m at extra cost.



INFINITY		Colour : Black
3231	24W LED	Ø600
3232	36W LED	Ø900
3233	48W LED	Ø1200



ARCHITECTURAL LUMINAIRES

Customized solution available on request. Please confirm with our technical team before ordering.

Application

Strips are widely used as cove lighting, step lighting, Accent lighting, etc., in Hotels & Resorts, Shopping Complex, Residential and similar applications.



12V 2835 FLEXIBLE LED STRIP

ID	Wattage	IP	LED's per m	CCT	Cut. length	Width	Packing
7945	6W/m	20	60 pcs	2700-6000K	50mm	8mm	5m / Roll
7945 B	6W/m	20	60 pcs	Blue Colour	50mm	8mm	5m / Roll
7967	6W/m	54	60 pcs	2700-6000K	50mm	8mm	5m / Roll
7281	12W/m	20	120 pcs	2700-6000K	25mm	10mm	5m / Roll
7289	12W/m	67	120 pcs	2700-6000K	25mm	12mm	5m / Roll
4248	16W/m	33	120 pcs	2700-6000K	25mm	5mm	5m / Roll



12V 5050 FLEXIBLE LED STRIP

ID	Wattage	IP	LED's per m	CCT	Cut. length	Width	Packing
7949	12W/m	20	60 pcs	2700-6000K	50mm	10mm	5m / Roll
7283	12W/m	20	60 pcs	RGB	50mm	10mm	5m / Roll
7290	12W/m	67	60 pcs	RGB	50mm	12mm	5m / Roll



12V 2835 FLEXIBLE LED STRIP FOR LINEAR LIGHTING

ID	Wattage	IP	LED's per m	CCT	Cut. length	Width	Packing
4249	15W/m	20	168pcs	2700-4000K-6000K	36mm	10mm	5m / Roll
4250	22W/m	20	240pcs	2700-4000K-6000K	25mm	10mm	5m / Roll


24V 2835 FLEXIBLE LED STRIP FOR LINEAR LIGHTING

ID	Wattage	IP	LED's per m	CCT	Cut. length	Width	Packing
7849	15W/m	20	70pcs	2700-4000K-6000K	100mm	10mm	5m / Roll
7850	22W/m	20	112pcs	2700-4000K-6000K	62mm	12mm	5m / Roll
7288	26W/m	20	280pcs	2700-4000K-6000K	100mm	36mm	5m / Roll

Luminaire operating voltage is 12/24Vdc. Luminaire to be ordered with suitable power supply and RGB controller.



Linear Wall Washers



3092	12W LED WW / CW	500 x 48 x 113
3094	24W LED WW / CW	1000 x 48 x 113
3068	36W LED WW / CW	1000 x 48 x 113
3070	36W LED RGB	1000 x 48 x 113
3066	72W LED WW / CW	1000 x 68 x 118
3067	72W LED RGB	1000 x 68 x 118

Luminaire to be ordered with suitable power supply and RGB controller.





IP68 Linear Profiles

Specification

- Surface, Recessed and Suspended Versions.
- Anodised aluminium profiles with IP67 encapsulation, clear/semi translucent.
- Standard Wattage : 10W/m, 24Vdc, 380 lm/m, CRI>80
20W/m, 24Vdc, 760 lm/m, CRI>80
- Standard length : 1m

Installation

- Based on site requirement can be glued using PU glue, Silicone / grouted or plastered in on-site cutouts.
- Dimmable with dali and DMX controllers.
- Colour : Red, Green, Blue, Amber, RGB, RGB-W & (3000-6000K) can be Customized.
- Mounting Accessories : Clamps / Suspension kits as per site requirement.




3264

10W/m



Luminaire to be ordered with suitable power supply



3256



3257




3256 / 3257



10W/m



3258



3259




3258 / 3259



10W/m



3260




3261





3260 / 3261

10W/m




3250





3250

10W/m












3251



3251

10W/m

Luminaire to be ordered with suitable power supply



Luminaire to be ordered with suitable power supply

Features

- Dot free and absolutely homogeneous light emission surface.
- Flexibility combined with high durability.
- Anti-UV for outdoor use.
- UL recognized, V0 PVC material to minimize fire risk.
- 120° beam angle.
- High light quality at a lifetime of >30000 hrs
- Flexible bending radius for easy of installation.


9 Watts LED Neon Flex

ID	LED	Colour	LED's per Metre	Packing
3230	2835	WW	120 pcs	50m/roll
7285	2835	CW	108 pcs	40m/roll
7286-R	2835	Red	108 pcs	40m/roll
7286-G	2835	Green	108 pcs	40m/roll
7286-B	2835	Blue	108 pcs	40m/roll
7287	5050	RGB	72 pcs	40m/roll




ID	Accessories
8179	Font Cap 0.25m PVC Power cord
8257	Fixing Aluminium clip 50mm
8180	1m Aluminium profile
8258	Pins (10 Nos)
8259	Inter Connector
8260	Bonding PVC Glue

Accessories Kit




Refer Installation Guidelines

Facade Luminaires



SILL RECTA Colour : Graphite Grey
3078 6W LED 150 x 43 x 90



SILL CRESCENT Colour : White 3072 6W LED 148 x 60 x 100
SILL CIRCO Colour : White 3071 9W LED Ø118 x 180





Recessed Pool LED Luminaires

			
Ø68 x 76	Ø135 x 80	Ø180 x 78	Ø205 x 88
6762 4111	4105 6777	6700	4109
1 x 3W LED WW 1 x 3W LED CW	4 x 2W LED WW 3 x 3W LED Blue	6 x 2W LED WW	12 x 2W LED WW


Underwater LED Spot Light

			
	103 x 70 x 134	Ø95 x 106 x 150	Ø127 x 120 x 195
6740	4116	4131	4132
1 x 3W LED WW	1 x 3W LED RGB	3 x 2W LED WW	6 x 3W LED WW

LED Fountain Light

		
Suitable for G(PF)3/4	Suitable for Ø42/Ø24	
Ø149 x 62	Ø167 x 74	167 x 32
4129	4088	4127
9 x 2W LED WW	12W LED WW	6 x 2W LED WW
4130		
9 x 2W LED RGB		

Stainless Steel 316 Grade Housing. Luminaire operating voltage is 12/24Vdc. Luminaire to be ordered with suitable power supply and RGB controller. IP68



3276 / 3274	12 / 24W LED	550 x 68 x 83	530 x 69 x 85
3277 / 3275	24 / 48W LED	1025 x 68 x 83	1010 x 69 x 85
3278 / 3270	12W / 24W LED	550 x 68 x 83	530 x 69 x 85
3279 / 3271	12W / 24W LED RGB	550 x 68 x 83	530 x 69 x 85
3280 / 3272	24W / 48W LED	1025 x 68 x 83	1010 x 69 x 85
3281 / 3273	24W / 48W LED RGB	1025 x 68 x 83	1010 x 69 x 85

IP rated drivers refer accessories page. Luminaire to be ordered with suitable power supply and RGB controller. Dimmable - DMX / 0-10V / Dali

In-Ground Luminaires

IP67



1W - Microled - Driver

ID	Watts	Driver Output
8242	1W	(3-5)V, 300mA
8243	3-5W	(8-12)V, 300mA
8244	4-8W	(12-24)V, 300mA
8245	8-12W	(24-42)V, 300mA

3W - Miniled - Driver


8246	3W	(3-5)V, 600mA
8247	9-18W	(9-25)V, 900mA
8248	21-30W	(20-36)V, 900mA



IP 65	Non-Integral	SS Body
4085	1W LED	Ø32 x 62
4086	3W LED	Ø37 x 67

Wiring Diagram





Non Integral high voltage single colour fitting refer to the following recommended wiring method.



The Individual lamps must be connected in series.
Only power up the system once all the lamps have being connected.

For 4085 & 4086 suitable driver to be ordered separately





Wide spectrum of application

High efficiency LED flood light luminaires designed to provide directional wall throw. The product design and construction of the luminaires are characterized by high luminous efficiency, an extremely long service life and uniform illuminance. Their sturdy construction makes them particularly suitable for areas where a high level of robustness is required.

Benefits

- High brightness Lumileds Luxeon LED Chips
- Luminous flux up to 6600 lm (60W)
- Efficacy up to 110 lm/W
- Power Factor > 0.90
- CRI > Ra70
- Built-in SPD, 10KV surge protection
- Operating temperature : -40~+50°C
- IP68 LED Module, IP67 Driver/Connector



ASTON 1

6420 1 x 60W LED 342 x 135 x 180



ASTON 2

6789 2 x 60W LED 342 x 135 x 245



ASTON 3

6798 3 x 60W LED 342 x 135 x 325



ASTON 4


6788 4 x 60W LED 342 x 135 x 365



ASTON 6 / ASTON 8

4207 6 x 60W LED 645 x 135 x 328
 4208 8 x 60W LED 645 x 135 x 368

Colour : Graphite Grey. For 12° Beam Angle add ₹ 1200 per 60 watts.



POLAR ADJUSTA - TWO WAY

5298 2 x 60W LED 340 x 215 x 185

Aviation Obstruction Lights




IP 54

AVIATOR 1 & 2

Colour : Golden Yellow

6648 12W LED D2 Ø130 x 370
 6649 2 x 12W LED DI 690 x 130 x 735

Cluster Integral with built-in power supply



ASTON PRIME The Outperformer


Efficiency Upto 150 lm/w

4200	1 × 60W LED	342 × 135 × 180
4201	2 × 60W LED	342 × 135 × 245
4202	3 × 60W LED	342 × 135 × 325
4203	4 × 60W LED	342 × 135 × 365
4205	6 × 60W LED	645 × 135 × 328
4209	8 × 60W LED	645 × 135 × 368

Colour : Red & Graphite Grey. Luminous flux up to 9000 ± 300 lm (60W)



Photometric Data



Flood Lights




											
NAVI MINI			NAVI SPOT			NAVI			NAVI		
Colour : Black			Colour : Black			BA 10°/28°/45°			Colour : Black		
7060	25W LED M41	200 x 183 x 234	4261	50W LED M41	200 x 153 x 351	7054	45W LED M41	200 x 153 x 351	6805	45W LED M2	Ø166 x 153 x 557

											
JAZZ			AMAZE MINI			AMAZE			CIAZ		
Colour : Black. Standard BA 30°. BA 8° on request.									Colour : Grey		
4223	16W LED	120 x 120 x 141	4224	30W LED	199 x 129 x 228	4225	50W LED	199 x 164 x 280	4244	5W LED	BA 15° / 25° Ø64 x 99
									4245	12W LED	BA 15° / 25° Ø95 x 124
									4246	24W LED	BA 15° / 8° Ø120 x 148

					
MIRA			BUMBLEBEE		
4257 / 4258	30W / 50W LED	183 x 36 x 199 / 235 x 40 x 250	7071	30W LED	143 x 62 x 202
4259 / 4260	100W / 150W LED	285 x 47 x 300 / 333 x 53 x 355	7072	50W LED	193 x 62 x 202

SM Down Lighters



											
RECTO			CYLIN MINI			CYLIN MIDD			CYLIN		
Colour : Black			Colour : Black			Colour:White/Black			Colour : Graphite Grey		
4079	24W LED	200 x 50 x 155	4082	18W LED	Ø107 x 200	4083	40W LED	Ø158x210	5756	45W LED	Ø172x200
			4084	GU10 Holder	Ø107 x 110						





NEBULA SERIES NEW



NEBULA MICRO - SPIKE

4263 3W LED 104 x 60 x 447

NEBULA MICRO - BRACKET

4264 3W LED 110 x Ø70 x 75

NEBULA MINI - SPIKE

4265 6W LED 112 x 60 x 462

NEBULA MINI - BRACKET

4266 6W LED 122 x Ø80 x 90

NEBULA MIDI - SPIKE


4267 12W LED 132 x 71 x 468

NEBULA MIDI - BRACKET

4268 12W LED 147 x Ø90 x 96

NEBULA - BRACKET

4270 18W LED 172 x Ø100 x 110



OLIVIA MIDI - SPIKE

4271 12W LED 120xØ95x461

OLIVIA MIDI - BRACKET

4272 12W LED 108xØ95x124



OLIVIA - SPIKE

4273 20W LED 134xØ118x484

OLIVIA - BRACKET

4274 20W LED 133xØ118x160



TRIOSCAPE - SPIKE

4194 GU10 Holder 94x184x449

TRIOSCAPE - BRACKET

4195 GU10 Holder 100x199x128



TRIOSCAPE - SPIKE

7052 7W LED 72x117x430

TRIOSCAPE - BRACKET

7057 7W LED 100x138x110



TRIOSCAPE - SPIKE

6998 1x3W LED 72x117x430

TRIOSCAPE - BRACKET

6988 1x3W LED 100x138x110


Colour : Graphite Grey. 1 Meter Cable Length.



Colour : Black 167 x 225 x 273

MAPLE

6533 E27 Holder



Ø95x126x350

POORNI MICRO - SPIKE

6900 GU10

Colour : Black



POORNI MINI - SPIKE

6604 B22d Ø113x188x360

Colour : Black



NEW



2762



2768



2761



2759

SUDO MINI - BEAM


2759	3W LED	76 × 90 × 130
------	--------	---------------

SUDO MINI - ARC / SLOT

2768 / 61	3W LED	76 × 90 × 130
-----------	--------	---------------

SUDO MINI - SPOT

2762	3W LED	76 × 110 × 130
------	--------	----------------



2749



2750




2760 / 2763

SUDO MINI - ASY VERTICAL / VERTICAL REEDED


2749/50	3W LED	76 × 90 × 130
---------	--------	---------------

SUDO - ASY VERTICAL REEDED

2760/63	3W / 6W LED	76 × 90 × 255
---------	-------------	---------------

**JADO**


2735 / 2625	12W LED / 18W CFLC	244 × 96 × 191
-------------	--------------------	----------------

SURFACE MOUNTING SERIES

NEW

ZEDO

2767	12W LED	220 × 95 × 42
------	---------	---------------



NEW



ZEDO ROUND

2766	12W LED	Ø180 × 38
------	---------	-----------




SUDO/SUDO MINI - OPEN

2741	12W LED	255 × 90 × 76
2753	6W LED	255 × 90 × 76
2745	6W LED	130 × 90 × 76
2754	3W LED	130 × 90 × 76



SUDO/SUDO MINI - GRID

2742	12W LED	255 x 90 x 76
2755	6W LED	255 x 90 x 76
2746	6W LED	130 x 90 x 76
2756	3W LED	130 x 90 x 76



SUDO / SUDO MINI - ASY

2743	12W LED	255 × 90 × 76
2757	6W LED	255 × 90 × 76
2747	6W LED	130 × 90 × 76
2758	3W LED	130 × 90 × 76





NEW



SUDO EXTENDED - OPEN / GRID / ASY

2773 / 2769 / 2770	24W LED	490 x 90 x 85
--------------------	---------	---------------


Wall Brackets

 3796 N13 123 x 90 x 115 N13 142 x 107 x 170 Colour : Black	 NEW	 NEW	 NEW
POORNI MICRO / POORNI MINI	ASPEN PYRO MINI / ASPEN PYRO	TRANSY	MINO
3796 / 3797 GU10 W20	4350 E27 W28 235 x Ø196 x 258	4352 10W LED W28 257 x 206 x 325	4358 5W LED W28 □115 x 80
3669 E27 W20	4351 E27 W28 270 x Ø231 x 336	4349 18W LED W28 257 x 206 x 325	
 NEW	 NEW	 NEW	
WALL SLICE WOOD	SENNA ROUND	SENNA SQUARE	WALL JADO WOOD
4189 6W LED W28 140 x 111 x 450	4353 8W LED W29 Ø166 x 55	4355 8W LED W30 □115 x 55	4211 12W LED W28 N13 205 x 81 x 251
WALL SLICE STONE	SENNA WOOD ROUND	SENNA WOOD SQUARE	WALL JADO STONE
4210 6W LED W28 140 x 111 x 450	4354 8W LED W29 Ø166 x 61	4356 8W LED W30 □115 x 61	4212 12W LED W28 N13 205 x 81 x 251
 NEW IP 53 WALL FANOS MINI	 NEW IP 53 SLEEK FANOS MINI	 NEW IP 53 FANOS MINI	
4347 16W LED W28 115 x 175 x 400	4221 16W LED W21 115 x 180 x 980	7695 16W LED W21 115 x 200 x 980	
4348 E27 W28 115 x 175 x 400	4362 E27 W21 115 x 180 x 980	4363 E27 W21 115 x 200 x 980	
 NEW WALL SLICE CIRCO STONE			
4214 6W LED W28 Ø300 x 114			
WALL SLICE CIRCO WOOD			
4361 6W LED W28 Ø300 x 114			



N11 145x100x110 **N12** 145x100x160
WALL CYLIN MINI

3666	GU10 Holder W2
3667	2 x GU10 Holder W2




N11 145x100x166 **N12** 145x100x260
WALL CYLIN MINI

7897	6W LED W2
7898	2 x 6W LED W2



N11 145x100x166 **N12** 145x100x260
WALL CYLIN MINI

3653	12W LED W2
3654	2 x 12W LED W2



N11 236 x 166 x 200 **N12** 236 x 166 x 370
WALL CYLIN

3655	1 x 18W LED W3I
3656	2 x 18W LED W3I



N11 172x129x200 **N12** 172x129x250
WALL TRIO Colour : Graphite Grey Only


6984	6W LED W1I
6985	2 x 6W LED W1I



IP54 **N12** 111 x 108 x 94
WALL DENA

3665	6W LED W18
------	-------------------

Colour : Graphite Grey




WALL DENA SLIMMY

3657	12W LED	305 x 28 x 90
3658	24W LED	575 x 28 x 90




Symmetric Distribution **N11 / N12** 368 x 180 x 178
POLAR CRESCENT

3776	1 x 40W LED
3777	2 x 40W LED



N13 171 x 121 x 260 **N12** 171 x 121 x 350
CUBUS

4970	30W LED W2
4364	18W LED W2
4359	2 x 18W LED W2



TITUS **IP 54** 306 x 178 x 50

3600	40W LED W14
------	--------------------



WALL RECTO

4193	24W LED W28
------	--------------------



NAVYA MINI

4357	24W LED W28
------	--------------------



IP 54 **N13** 640 x Ø475 x 400
KARONA FORT MINI

5175	30W LED W23
5268	30W LED W23

Arm Length : 0.65 / 0.8 / 1m. Colour : Black.



NAVIRA MINI

4971	N13 220 x 170 x 260	30W LED W2
4219	N13 500 x 170 x 260	30W LED W22



NAVIRA

4921	N13 315 x 214 x 322	45W LED W15
4239	N13 545 x 214 x 322	45W LED W22

Recess Mounting Down Lighters




NEW



DIYA			C.O.D	BA
4241	10W LED	Ø100 x 75	Ø90	45°
4242	20W LED	Ø140 x 90	Ø130	45°
4243	30W LED	Ø185 x 110	Ø155	45°
4247	40W LED	Ø230 x 128	Ø200	30°



VELA			C.O.D
7555	45W LED	Ø170 x 68	Ø160



Bulk Head Luminaires

IP54




RORECTRA MINI - OPEN FRAME	
4074	12W LED





RORECTRA MINI - HALF FRAME	
4075	12W LED



RORECTRA - CROSS FRAME	
4052	E27
4043	12W LED




RORECTRA - HALF FRAME	
4051	E27
4042	12W LED




BRICKO	
Prismatic Polycarbonate	
4070	2 x E27
5616	12W LED



RECTRA - HALF FRAME	
4055	E27
4046	12W LED



RECTRA HORIZON - HALF FRAME	
4058	E27
4049	12W LED



FOCUS MIDI - HALF FRAME	
5633	12W LED



FOCUS MIDI - Y FRAME	
5634	12W LED



FOCUS - OPEN FRAME	
4063	2 x E27
4032	24W LED



FOCUS - GRID FRAME	
4066	2 x E27
4030	24W LED



FRONTIER - HALF FRAME	
4060	2 x E27
4038	24W LED










FRONTIER - GRID FRAME	
4062	2 x E27
4040	24W LED






FRONTIER CRESCENT - HALF FRAME	
4061	2 x E27
4039	24W LED

Max.Wattage E27 : 13W LED / 20W CFL. Colour : Black.

					
Ø166 x 645	Ø166 x 445	Ø166 x 685	Ø166 x 485	Ø168 x 700	Ø168 x 500
MUSHROOM - FLAT TOP	MUSHROOM - FLAT TOP	MUSHROOM ARCUS	MUSHROOM ARCUS	MUSHROOM	MUSHROOM
5591	5592	5544	5545	5582	5583
16W LED M9	16W LED M9	16W LED M9	16W LED M9	16W LED M9	16W LED M9
					
342 x 178 x 1000	568 x 178 x 1000	242 x 114 x 1000	366 x 114 x 1000	282 x 131 x 1000	432 x 131 x 1000
DISC	DUO DISC	FANOS MINI	DUO FANOS MINI	AERON	DUO AERON
6967	6968	4796	4795	4776	4777
16W LED M9	2 x 16W LED M9	16W LED M9	2 x 16W LED M9	20W LED M29	2 x 20W LED M29
					
Ø250x1455	Ø250 x 950	Ø430 x 980			Ø293 x 1045
CAUSEWAY	ROMAN ROUND MIDI	SATURN	PRINCE ORNA		
5455	4797	4798	4799		
E27 M20	E27 M2	E27 M2	E27 M2		
					
	386 x 454 x 1000	Ø590 x 980	Ø410 x 895	Ø454 x 1120	
	VISOR	SHAMIANA	DELPHI	LIGHT HOUSE	
	6583	5800	5589	4800	
	30W LED M18	45W LED M2	E27 M2	E27 M2	

Max. Wattage E27 : 13W LED / 20W CFL. E27 : 17W LED / 23W CFL. Colour : Graphite Grey / Black. IP 54 Available in CW / WW / NW.

 540 x 534 x 2930	 540 x 555 x 2930	 Ø590 x 2930	 Ø760 x 2930
GLIDER-ASYMMETRIC 7026 20W LED M15	GLIDER-SYMMETRIC 7028 20W LED M15	UMBRELLYA 7022 20W LED M15	DIXON 7024 20W LED M15
 IP 53 Ø600 x 2655	 IP 54 Ø420 x 2955 Ø420x2945	 IP 53 692 x 3000	
JUNO 7034 60W LED M15 Colour : Graphite Grey / Black. IP 65	HELIA CUTOFF 7038 30W LED M15 PARACHUTE CUTOFF 7040 30W LED M15	STENCIL 4238 40W LED M34	

  Ø172 x 2980	  Ø166 x 2870	 NEW Ø170 x 3500	 NEW Sq. 150 x 3500
LUCY 7042 30W LED MII 6969 30W LED MII	CEDAR 7043 70W MH E27 MII	CARLEY ROUND 4754 40W LED	CARLEY SQUARE 4755 40W LED
  Ø237 x 2803	  Ø410 x 2790	  865 x 785 x 3660	 1088 x 785 x 5000
MEXICAN MEGA 4791 40W LED MII	MEXICAN METRO VINCI 7061 30W LED MII	ANGLE DIXON 7030 45W LED MII	NAVI DIXON 7080 45W LED M33

Column Lights

7036	24W LED M15	Ø100 × 2640
7018	90W LED M11	Ø166 × 4200
6778	4 × 28W T-5 FTL M11	Ø166 × 2750
7020	48W LED M11	Ø166 × 2750
6759	4 × 14W T-5 FTL M11	Ø166 × 2750
7021	24W LED M11	Ø166 × 2750



Ø200mm Series

AJNA COLUMN LIGHT

4760	40W LED M43	Ø200 × 3095
------	-------------	-------------

VERA COLUMN LIGHT

4794	40W LED M43	Ø200 × 3189
------	-------------	-------------

AJNA BOLLARD

4758	24W LED M42	Ø200 × 906
------	-------------	------------

4759	24W LED M42	Ø200 × 406
------	-------------	------------

VERA BOLLARD

4789	24W LED M42	Ø200 × 1000
------	-------------	-------------

4790	24W LED M42	Ø200 × 500
------	-------------	------------

AJNA ASYMMETRICAL BOLLARD


4787	24W LED M42	Ø200 × 963
------	-------------	------------

4788	24W LED M42	Ø200 × 463
------	-------------	------------

VIRGO BOLLARD

4761	24W LED M42	Ø200 × 972
------	-------------	------------

4762	24W LED M42	Ø200 × 472
------	-------------	------------



AJNA COLUMN LIGHT

VERA COLUMN LIGHT

AJNA ASYMMETRICAL

VIRGO BOLLARD



SLEEK AJNA CRESCENT

7062	8W LED M2	Ø100 x 900
7063	8W LED M2	Ø100 x 370
7064	8W LED M27	Ø134 x 220

AJNA CRESCENT

7065	16W LED M3	Ø166 x 895
7066	16W LED M3	Ø166 x 360
7067	16W LED M21	Ø200 x 165

SLEEK AJNA BOLLARD

5558	8W LED M2	Ø100 x 900
5559	8W LED M2	Ø100 x 370
5560	8W LED M27	Ø134 x 220
5576	8W LED M17	Ø100 x 80

AJNA BOLLARD

5561	16W LED M3	Ø166 x 895
5562	16W LED M3	Ø166 x 360
5563	16W LED M21	Ø200 x 165
5575	16W LED M16	Ø166 x 90

AJNA COLUMN LIGHT

4792	32W LED M11	Ø166 x 3092
------	-------------	-------------



AJNA ASYMMETRICAL BOLLARD

7048	16W LED M3	Ø166 x 930
7049	16W LED M3	Ø166 x 395
7050	16W LED M21	Ø200 x 200



SLEEK VERA BOLLARD

5568	8W LED M2	Ø100 x 1005
5569	8W LED M2	Ø100 x 475
5570	8W LED M27	Ø134 x 325

VERA BOLLARD

5565	16W LED M3	Ø166 x 975
5566	16W LED M3	Ø166 x 440
5567	16W LED M21	Ø200 x 242

VERA COLUMN LIGHT

4793	32W LED M11	Ø166 x 3166
------	-------------	-------------



Colour : Graphite Grey / Black. Top option : Flat / Round. Ordering code for flat top : KL-5567-CW. Ordering code for round top : KL-5567-RT-CW.



MEXICAN BOLLARD - PYRO TOP

4801	E27 M2	Ø194 x 1000
4802	E27 M2	Ø194 x 475
4803	E27 M2	Ø194 x 325



MEXICAN BOLLARD - ROUND TOP

4804	E27 M2	Ø146 x 985
4805	E27 M2	Ø146 x 455
4806	E27 M2	Ø146 x 305
4807	E27 W2	220 x 146 x 305



MEXICAN BOLLARD - FLAT TOP

4808	E27 M2	Ø168 x 985
4809	E27 M2	Ø168 x 455
4810	E27 M2	Ø168 x 305
4811	E27 W2	230 x 168 x 305



MEXICAN MAYA BOLLARD - PYRO TOP

4812	E27 M2	Ø194 x 1000
4813	E27 M2	Ø194 x 475
4814	E27 M2	Ø194 x 325



MEXICAN MAYA BOLLARD - ROUND TOP

4815	E27 M2	Ø146 x 985
4816	E27 M2	Ø146 x 455
4817	E27 M2	Ø146 x 305
4818	E27 W2	220 x 146 x 305



MEXICAN MAYA BOLLARD - FLAT TOP

4819	E27 M2	Ø168 x 985
4820	E27 M2	Ø168 x 455
4821	E27 M2	Ø168 x 305
4822	E27 W2	235 x 168 x 305



HYBRID BOLLARD - PYRO TOP

4831	E27 M2	Ø325 x 1020
4832	E27 M2	Ø325 x 490



HYBRID BOLLARD - ROUND TOP

4834	E27 M2	Ø325 x 1000
4835	E27 M2	Ø325 x 470



HYBRID BOLLARD - FLAT TOP

4837	E27 M2	Ø325 x 1005
4838	E27 M2	Ø325 x 475

**SLEEK BOLLARD - ROUND TOP**

5737	18W CFLC M2	Ø100 x 1030
5740	18W CFLC M2	Ø100 x 500
5752	18W CFLC M27	Ø134 x 350

**SLEEK BOLLARD - FLAT TOP**

5744	18W CFLC M2	Ø100 x 1005
5747	18W CFLC M2	Ø100 x 475
5753	18W CFLC M27	Ø134 x 325

**SLEEK BOLLARD - FLAT TOP - TRANSLUCENT**

4823/4824	8W LED/E27 M2	Ø100x1005
4825/4826	8W LED/E27 M2	Ø100x475
4827/4828	8W LED/E27 M27	Ø134x325
4829/4830	8W LED/E27 W2	145x100x325

**CIRCO BOLLARD**

6959	E27 M6	176 x 168 x 1000
6960	E27 M6	176 x 168 x 500
6961	E27 M6	176 x 168 x 300
6962	E27 W2	193 x 168 x 270

**CIRCO - CUTOFF BOLLARD**

6963	E27 M6	176 x 168 x 1000
6964	E27 M6	176 x 168 x 500
6965	E27 M6	176 x 168 x 300
6966	E27 W2	193 x 168 x 270

**SLIMMY TORCH**

4778	24W LED M2	Ø105 x 970
4756	24W LED W31	173 x 105 x 950

**CUBA BOLLARD**

6976	E27 M7	□121 x 1005
6977	E27 M7	□121 x 505
6978	E27 M7	□121 x 305
6979	E27 W2	170 x 121 x 255

**TRIO BOLLARD**

6955	E27 M5	△130 x 1000
6956	E27 M5	△130 x 500
6957	E27 M5	△130 x 300
6958	E27 W2	170 x 130 x 245

**CUBUS - CUTOFF BOLLARD**

7014	E27 M7	Ø262 x 1025
7015	E27 M7	Ø262 x 525
7016	E27 M7	Ø262 x 325

Max. Wattage : E27 : 11W LED / 20W CFLC. Lamp price not include. Available in CW / WW / NW. Colour : Graphite Grey / Black.


MEXICAN MAYA SLIMMY

5451	18W CFLC M1	Ø140 x 920
5452	18W CFLC M1	Ø140 x 620
5688	18W CFLC M1	Ø140 x 320


MEXICAN SLIMMY

5453	18W CFLC M1	Ø140 x 920
5454	18W CFLC M1	Ø140 x 620
5690	18W CFLC M1	Ø140 x 320



RITU BOLLARD

Colour : Graphite Grey Only

6951	9W LED M5	Δ130 x 800
6952	9W LED M5	Δ130 x 500
6953	9W LED M5	Δ130 x 200
6954	9W LED W3	170 x 130 x 200


RISHU BOLLARD

4779	16W LED M32	Ø146 x 1050
4780	16W LED M32	Ø146 x 594


MEXICAN MEGA BOLLARD - PYRO TOP

4847	24W LED M3	Ø233 x 1100
4848	24W LED M3	Ø233 x 560


MEXICAN METRO BOLLARD

7044	18W LED M3	Ø410 x 1090
7045	18W LED M3	Ø410 x 555


BEACON BOLLARD

4840	16W LED M3	Ø410 x 970
------	-------------------	------------


VAJRA BOLLARD - ROUND TOP

4841	16W LED M3	Ø166 x 1025
4842	16W LED M3	Ø166 x 490


VIRGO BOLLARD

7046	16W LED M3	Ø166 x 985
7047	16W LED M3	Ø166 x 445

Top option : Flat / Round.


JADO WOOD BOLLARD

7399	12W LED M24	200 x 110 x 1000
7511	12W LED M24	200 x 110 x 600
7543	12W LED M24	200 x 110 x 300


DUO JADO WOOD BOLLARD

7544	2 x 12W LED M24	200 x 170 x 1000
7600	2 x 12W LED M24	200 x 170 x 600
7673	2 x 12W LED M24	200 x 170 x 300


JADO BOLLARD

7078	12W LED M24	200 x 110 x 1000
7100	12W LED M24	200 x 110 x 600
7200	12W LED M24	200 x 110 x 300


DUO JADO BOLLARD

7204	2 x 12W LED M24	200 x 170 x 1000
7208	2 x 12W LED M24	200 x 170 x 600
7212	2 x 12W LED M24	200 x 170 x 300


JADO STONE BOLLARD

4226	12W LED M24	200 x 110 x 1000
4227	12W LED M24	200 x 110 x 600
4228	12W LED M24	200 x 110 x 300


DUO JADO STONE BOLLARD

4229	2 x 12W LED M24	200 x 170 x 1000
4230	2 x 12W LED M24	200 x 170 x 600
4231	2 x 12W LED M24	200 x 170 x 300

Aesthetic Appearance : Engineered Wood. Stone Film.


JADO WOOD / DUO JADO WOOD

4184	1 x 24W LED M35	300 x 160 x 2440
4185	2 x 24W LED M35	300 x 160 x 2440

JADO / DUO JADO

4186	1 x 24W LED M35	300 x 170 x 2440
4187	2 x 24W LED M35	300 x 170 x 2440


POLAR WOOD BOLLARD

7219	6W LED M23	230 x 140 x 1000
7322	12W LED M23	330 x 140 x 1000

DUO POLAR WOOD BOLLARD

4770	2 x 6W LED M23	360 x 140 x 1000
4771	2 x 12W LED M23	560 x 140 x 1000

SLICE WOOD BOLLARD

4191	6W LED M25	135 x 125 x 1000
------	-------------------	------------------


POLAR BOLLARD

7068	6W LED M23	230 x 140 x 1000
7069	12W LED M23	330 x 140 x 1000

DUO POLAR BOLLARD

4772	2 x 6W LED M23	360 x 140 x 1000
4773	2 x 12W LED M23	560 x 140 x 1000

RECTO POLAR BOLLARD

4774	1 x 24W LED M39	315 x 170 x 1000
4775	2 x 24W LED M39	510 x 170 x 1000


POLAR LEAN BOLLARD

4234	6W LED M23	200 x 140 x 1000
4235	12W LED M23	310 x 140 x 1000

POLAR LEAN BOLLARD

4236	6W LED M23	353 x 140 x 1000
4237	12W LED M23	463 x 140 x 1000

SAMBO BOLLARD

5590	6W LED M28	□ 150 x 1000
5440	12W LED M28	□ 150 x 1000


SARUS BOLLARD


4766	6W LED M37	□ 100 × 700
4767	6W LED M37	□ 100 × 400

SARUS RECTRA BOLLARD

4768	12W LED M24	200 × 50 × 700
4769	12W LED M24	200 × 50 × 400

JADO

4752	12W LED M24	200 × 50 × 700
4753	24W LED M24	200 × 50 × 700


TANSY EXO
STAINLESS STEEL
MORA

Laser cutting charges on actuals

CERO

4181	24W LED M36	□ 150 × 910	4763	12W LED M38	385 × 60 × 506	4765	24W LED M40	1020 × 80 × 300
4182	10W LED M36	□ 150 × 300	4764	12W LED M38	385 × 60 × 1006			


SAMBO ROUND BOLLARD

5442	6W LED M2	Ø107 × 1000
------	------------------	-------------

BAMBOO BOLLARD

4784	6W LED M31	242 × 150 × 1000
------	-------------------	------------------

Bracket / Post Top Luminaires

			
N10 W8 288 x Ø200 x 377	N10 W8 315 x Ø250 x 330	N10 W8 315 x Ø250 x 330	N10 W8 465 x Ø400 x 485
CANDELA MINI	ROMAN ROUND MIDI	ROMAN ROUND MIDI	ROMAN ROUND MEGA
4906 E27 Clear	5176 E27	4905 E27 Clear	4907 E27 Clear
			
NEW			
DI □206 x 378	DI □234 x 304	DI Ø276 x 290	
TRANSY	TRAPEZOIDAL	CONIC	
5432 10W LED	6802 E27 TR	6803 E27 TR	
5433 18W LED			
			
DI Ø200 x 350	DI Ø330 x 365	DI Ø330 x 355	
ROMAN LARA MINI	TOPSY MINI	SATURN MINI	
5070 E27 TR	5074 E27 TR	5075 E27 TR	
			
DI Ø340x523	DI Ø340 x 505	DI Ø293 x 480	
LIGHT HOUSE MINI	PRINCE MINI	PRINCE ORNA MINI	
5071 E27 TR	5073 E27 TR	5072 E27 TR	
			
NEW			
DI Ø231 x 347	DI Ø413 x 360	DI Ø218 x 288	
ASPEN	DELPHI	BEACON - METRO	
5434 E27 TR	5332 E27	5478 E27	

Max. Wattage E27: 13W LED / 11W CFL. E27: 13W LED / 20W CFL. E27: 17W LED / 23W CFL. E27: 30W LED / 45W CFL. IP 54



D1 Ø250 x 385

ROMAN ROUND MIDI

5076

E27 TR



D1 Ø250 x 385

ROMAN ROUND MIDI

4911

E27 Clear




D1 Ø250 x 390

ROMAN LARA MIDI

4937

E27 Clear




D1 □210 x 360

ROMAN PENTA MIDI

4912

E27 Clear



D1 Ø433 x 415

SATURN MIDI

5082

E27 TR



D1 Ø433 x 445

TOPSY MIDI

5083

E27 TR



D1 Ø454 x 575

PRINCE MIDI

4985

33W LED TR

5088

E27 TR



D1 Ø454 x 575

PRINCE ORNA MIDI

4984

33W LED TR

5087

E27 TR



D1 Ø454 x 575

LIGHT HOUSE MIDI

4983

33W LED TR

5084

E27 TR




D1 Ø454 x 575

LIGHT HOUSE PRISM MIDI

4913

E27 TR

4884 33W LED TR



D2 Ø233 x 490

MEXICAN MEGA

5470

40W LED



D2 Ø410 x 490

MEXICAN METRO

5476

30W LED



D2 Ø410 x 417

BEACON METRO MEGA

5477

30W LED



Max. Wattage E27: 13W LED / 20W CFL. E27: 17W LED / 23W CFL. IP 54

Post Top Luminaires

 D2 Ø575 x 475	 D2 Ø400 x 470	 D2 Ø400 x 470	
SATURN 5090 E27	ROMAN ROUND 4904 E27	ROMAN LARA 4903 E27 5092 E27 TR	
 D1 Ø337 x 305	 D1 Ø336 x 470	 D1 Ø336 x 498	 D1 Ø336 x 498
FLYING SAUCER MIDI 4933 E27	OVIYA MIDI - CUTOFF 4944 E27 (No Knob) 4964 30W LED	PARACHUTE MIDI - CUTOFF 4945 E27 (No Knob) 4987 30W LED	HELIA MIDI - CUTOFF 4946 E27 (No Knob) 4986 30W LED
 D2 Ø565 x 517	 D1 Ø420 x 515	 D1 Ø420 x 605	 D1 Ø420 x 605
FLYING SAUCER 5095 E27 5100 45W LED	OVIYA - CUTOFF 4988 E27 (No Knob) 4973 30W LED 4974 45W LED	PARACHUTE - CUTOFF 5169 E27 (No Knob) 4997 30W LED 5023 45W LED	HELIA - CUTOFF 5166 E27 (No Knob) 4996 30W LED 5022 45W LED

Max. Wattage E27 : 13W LED / 20W CFL. E27 : 17W LED / 23W CFL. E27 : 30W LED / 45W CFL. Colour : Black. IP 54



DISC
5382 45W LED



AVIRA
4976 30W LED



ANI
4975 30W LED




PARAMOUNT
4977 45W LED



SHAMIANA
5096 E27 (No Knob)
5007 45W LED



CAMEO
5401 E27 (No Knob)
5025 30W LED
5339 45W LED



DOUBLE STANDARD
5402 E27 (No Knob)
5024 30W LED
5340 45W LED



KONY
4938 E27
5010 45W LED



PRINCE
5094 E27
6934 45W LED



LIGHT HOUSE
5093 E27
6933 45W LED




HOSTA
5370 E27
5371 30W LED

Max. Wattage E27: 30W LED / 45W CFL E27: 17W LED / 23W CFL IP 54

Post Top Luminaires

 IP 65 D13 Ø900 x 1020	 IP 65 D13 Ø810 x 990	 IP 65 D2 Ø760 x 855	 IP 53 D2 692xØ107x770
DIXON MEGA	REFLECTO PARACHUTE MEGA	DIXON	STENCIL
3674	5098	4990	5383
45W LED	45W LED	20W LED	40W LED
	 D3 Ø700 x 450	 D3 742 x 555	 IP 65 D2 Ø590 x 870
	GANTHAL	PYRAMID	UMBRELLYA
	5027	6064	5031
	30W LED	30W LED	20W LED
 D2 Ø487 x 607	 D1 Ø487 x 577	 D2 Ø580 x 855	 D1 Ø384 x 736
NEEMA	KESHAV	HAMAL	FEDORA
4500	4502	4504	5460
4887	5384	4949	
4501	4503	4505	
42W LED	42W LED	42W LED	42W LED
1 x 50W LED	1 x 50W LED	1 x 50W LED	
2 x 50W LED	2 x 50W LED	2 x 50W LED	

 Asymmetric Distribution. IP 54



JUNO 4
5381 20W LED



JUNO MIDI
5380 36W LED



JUNO
5040 60W LED



IP 65 LUCY
4850 30W LED
4915 30W LED



IP 63 ZUCCHINI
4849 30W LED
4916 30W LED



JUNO QUARTTO
4924 48W LED



TRAPEZOIDAL MIDI
4926 E27
4923 30W LED



IP 65 GLIDER - ASYMMETRIC
5038 20W LED



IP 65 GLIDER - SYMMETRIC
5039 20W LED

Max. Wattage E27: 30W LED / 45W CFLE. Colour: Black. IP 53

Post Top Luminaires



IP03 D2 □445 × 741

DYNASTY

4917 E27

5030 30W LED



NEW

D2 □445 × 741

DYNASTY

4506 50W LED



NEW

D2 480 × 417 × 850

GENESIS

5435 E27

5436 60W LED



NEW

D22 □445 × 795

RATHA

5461 50W LED




D3 Ø435 × 932

GADAI

4918 E27

4998 45W LED

4994 60W LED




D3 Ø590 × 808


ORIENTAL

4930 E27


4931 45W LED



DIFFUSER OPTIONS



Eg. : ID Nos.+A8 (with V Diffuser Translucent)



RING FORT ARC MICRO

5189 A8 / A9	E27
4978 A8 / A10	24W LED



RING FORT ARC MINI

5353 A8 / A9	E27
5000 A8 / A10	30W LED
5192 A9 / A11	30W LED



RING FORT ARC

5001 A8 / A10	42W LED
5194 A8 / A9	50W LED



RING FORT ARC MINI

5352 A8/A10	30W LED
5351 A9/A11	30W LED



IMPERIAL MINI

5372 A8/A9	E27
5373 A8/A10	30W LED



IMPERIAL

5004 A8/A10	42W LED
5032 A0/A11	50W LED
Symmetric & Asymmetric Distribution	



MAGUDAM MIDI

4920	E27
4932	30W LED




MAGUDAM


4919	E27
4999	45W LED
4993	60W LED




IP 65 Max. Wattage E27: 30W LED / 45W CFLE.

 NEW IP 03 TRANSY R1 D20 □206 × 316 4885 10W LED 4886 18W LED	 IP 03 D20 Ø114 × 295 D4 Ø165 × 317 FANOS MINI / FANOS 4895/96 16W/30W LED	 IP 03 D4 Ø166 × 215 D4 □150 × 215 CYLIN / CUBUS 4900/01 30W LED	
	 IP 03 D4 Ø230 × 412 TANSY FLOWER 4950 30W LED	 D4 Ø355 × 206 PELICAN MINI 4943 30W LED	
	 A10 D4 Ø475 × 455 KARONA FORT MINI 5187 A11 30W LED 4955 A10 30W LED	 A11 D4 Ø645 × 643 KARONA FORT 6794 1x50W LED 6800 2x50W LED	
 NEW D4 □445 × 244 MERCIA 4894 1 x 50W LED 6950 2 x 50W LED	 D2 Ø512 × 710 HONEYDROP 4939 1x50W LED 4941 2x50W LED	 Ø710 × 545 MAGNUM 4902 2 x 50W LED	

Diffuser option : A10 - Convex Diffuser Translucent. A11 - Convex Diffuser Clear. Eg. : ID Nos. + A8 (with V Diffuser Translucent). Colour : Black. IP 54.
D20 Mounting to internally threaded pipe of designation : M20. D4 Mounting to internally threaded pipe of designation : M30




PELICAN FORT MICRO



PELICAN FORT MINI



IMPERIAL MINI



PELICAN FORT



IMPERIAL



PELICAN FORT MICRO

ID	Wattage	Dia	Height	Mounting
5311 A8 / A9	E27	Ø300	285	D20
4979 A8 / A10	24W LED	Ø300	285/180	D20

PELICAN FORT MINI

4899 A8 / A9 / A10	E27	Ø425	395/250	D4
5188 A9 / A11	30W LED	Ø425	395/250	D4
4980 A8 / A10	30W LED	Ø425	395/250	D4
4897 A9 / A11	50W LED	Ø425	395/250	D4

PELICAN FORT

6791 A9 / A11 / A12	1 x 50W LED	Ø634	618/412/610	D4
6799 A9 / A11 / A12	2 x 50W LED	Ø634	618/412/610	D4

IMPERIAL MINI

4890 A8 / A9 / A10	E27	Ø425	407/260	D4
4891 A9 / A11	30W LED	Ø425	407/260	D4
4892 A8 / A10	30W LED	Ø425	407/260	D4
4893 A9 / A11	50W LED	Ø425	415/260	D4

IMPERIAL

5138 A9 / A11 / A12	1 x 50W LED	Ø634	705/500/695	D4
5139 A9 / A11 / A12	2 x 50W LED	Ø634	705/500/695	D4

A12 - Polycarbonate diffuser Clear.

 Asymmetrical Distribution. Colour : Black. IP 65.



POMELO

4862	SA	1 x 30W LED	D21 460 x 166 x 680
4863	DA	2 x 30W LED	D21 860 x 166 x 680




MEERA

4864	SA	1 x 30W LED	D21 462 x 166 x 550
4865	DA	2 x 30W LED	D21 864 x 166 x 550



SRIYA

4866	SA	1 x 30W LED	D21 573 x 166 x 400
4867	DA	2 x 30W LED	D21 1080 x 166 x 400




KAYAL MINI

4888	SA	1 x 30W LED	D21 270 x 166 x 402
4868	DA	2 x 30W LED	D21 472 x 166 x 402



KAYAL

4889	SA	1 x 45W LED	D22 402 x 273 x 250
4869	DA	2 x 45W LED	D22 723 x 273 x 250




KAYAL SLICE

4870	SA	1 x 45W LED	D3 440 x 273 x 400
4871	DA	2 x 45W LED	D3 797 x 273 x 400




GRID

4648	SA	1 x 45W LED	D15 230 x 150 x 500
4649	DA	2 x 45W LED	D15 380 x 150 x 500



HERO

4650	SA	1 x 30W LED	D22 442 x 166 x 613
4651	DA	2 x 30W LED	D22 806 x 166 x 613




FANOS

4652	SA	1 x 30W LED	D22 421 x 165 x 600
4653	DA	2 x 30W LED	D22 765 x 165 x 600




NEW



NAVYA

4874	SA	1 x 48W LED	D16 565 x 115 x 500
4875	DA	2 x 48W LED	D16 1014 x 115 x 500
4876	AA	24W & 48W LED	D16 807 x 115 x 1000

NEW



D15 580 x 95 x 500


D15 338 x 95 x 500

NAVYA MINI

4872	SA	1 x 24W LED
4873	DA	2 x 24W LED


CUBUS

4953	SA	1 x 30W LED	D15 251 x 121 x 410
4877	DA	2 x 30W LED	D15 422 x 121 x 410



NAVIRA MINI

4954	SA	1 x 30W LED	D15 300 x 170 x 410
4878	DA	2 x 30W LED	D15 520 x 170 x 410



NAVIRA

4922	SA	1 x 45W LED	D16 412 x 214 x 500
4879	DA	2 x 45W LED	D16 723 x 214 x 500



TAGALOG
5368 50W LED
Symmetric Distribution. IP 65




VALARI 2
5366 40W LED



VALARI 3
5367 60W LED



EZHIL
4968 30W LED D16 735 x 122 x 985
4969 50W LED D16 735 x 122 x 985




ROSHAN
4654 SA 1 x 24W LED D22 538 x 76 x 525
4655 DA 2 x 24W LED D22 1000 x 76 x 525
4656 DA 3 x 24W LED D22 1200 x 76 x 635













RISHA
4854 SA 1 x 24W LED D17 880 x 60 x 337
4861 DA 2 x 24W LED D17 1700 x 60 x 337

Architectural Lighting Poles

New standards of Timeless Elegance



Decorative Brackets




The given ID is only for brackets. Colour : Black

130
lm/W

RAY ULTRA

4175	1 × 60W LED	D2 800 × 345 × 75
4163	2 × 60W LED	D2 800 × 345 × 75
4164	3 × 60W LED	D2 800 × 345 × 75
4174	4 × 60W LED	D2 800 × 345 × 75


NEW



WACO


4291	60W LED	D12 641 × 241 × 114
4292	120W LED	D12 738 × 289 × 116

NEW



AMY

4299	20W LED	D6 295 × 113 × 50
4293	30W LED	D6 320 × 135 × 51
4294	50W LED	D6 377 × 148 × 51
4295	100W LED	D2 500 × 184 × 73
4296	120W LED	D2 535 × 210 × 73
4300	150W LED	D2 535 × 210 × 73

3
Year
Warranty2
Year
Warranty

OJAS

4177	20W LED	D6 305 × 117 × 58
4178	30W LED	D6 360 × 127 × 60
4179	50W LED	D6 410 × 160 × 63
4180	100W LED	D1 522 × 182 × 60

Colour : Traffic Grey / Black. IP 65



NEW


KAYAL MINI / KAYAL

4148	30W LED	D6 Ø166 × 246 × 60
4149	45W LED	D2 Ø273 × 353 × 82



CLIPPER

4173	30W LED	D1 330 × 114 × 66
------	---------	-------------------



NAYAN

4165	40W LED	D2 415 × 125 × 90
------	---------	-------------------



HALES

5133	30W LED	D14 525 × 239 × 160
4176	50W LED	D14 525 × 239 × 160



MIZAR

5152	2 × 50W LED	D11 875 × 373 × 239
5153	3 × 50W LED	D11 875 × 373 × 239



SHELO

4167	1 × 50W LED	D2 860 × 370 × 255
5149	2 × 50W LED	D2 860 × 370 × 255



DOLPHIN MINI

5129	1 × 30W LED	D28 580 × 345 × 219
5148	1 × 50W LED	D28 580 × 345 × 219
4162	2 × 50W LED	D28 580 × 345 × 219



DOLPHIN

5131	2 × 50W LED	D27 806 × 457 × 300
5132	3 × 50W LED	D27 806 × 457 × 300
4171	4 × 50W LED	D27 806 × 457 × 300



VIMBA

5635	1 × 50W LED	D7 560 × 270 × 170
5636	2 × 50W LED	D7 560 × 270 × 170



ZIMBA

4159	1 × 50W LED	D12 587 × 288 × 204
4160	2 × 50W LED	D12 587 × 288 × 204

Colour : Traffic Grey / Black. IP 65



JAMAL - ADJUSTABLE

6790	1 x 50W LED	D2 697 x 488 x 192
6300	2 x 50W LED	D2 697 x 488 x 192




ALKARAN

5125	30W LED	D1 710 x 269 x 161
------	---------	--------------------




NIMBA MINI

5150	30W LED	D1 528 x 220 x 160
------	---------	--------------------



NIMBA

4166/5151	1 x 50 / 2 x 50W LED	D12 759 x 304 x 217
-----------	----------------------	---------------------




FISHY

4170 / 5154	1 x 50W / 2 x 50W LED	D2 898 x 296 x 195
-------------	-----------------------	--------------------

FISHY MEGA

5155	2 x 50W LED	D2 1500 x 390 x 270
4157	3 x 50W LED	D2 1500 x 390 x 270



SEAGULL

4169 / 5156	1 x 50 / 2 x 50W LED	D2 1135 x 350 x 250
-------------	----------------------	---------------------

SEAGULL MEGA

4158	3 x 50W LED	D3 1405 x 420 x 745
------	-------------	---------------------



BULL HORN

5158	2 x 50W LED	D2 1680 x 440 x 400
------	-------------	---------------------

Colour : Traffic Grey / Black. IP 65




PALMA - ADJUSTABLE


4240	 100W LED	D26 925 x 250 x 90
------	--	--------------------


Polar Street Light Luminaires

Polar Wall Bracket


  600 x 60 x 178	 320 x 120 x 63	 600 x 120 x 63
ANGLE POLAR 5308  24W LED W22 IP65 for LED Module and Driver	POLAR MINI 5346 30W LED W12	POLAR 5345 30W LED W12 4412 50W LED W12 5292 60W LED W12



	POLAR - SIDE MOUNTING 5299 30W LED DI 600 x 120 x 63 4401 50W LED DI 600 x 120 x 63 5271 60W LED DI 600 x 120 x 63
---	--



PHOTOMETRIC DATA



 D21/D22/D23/D15/D16	POLAR - VERTICAL MOUNTING 5300 30W LED 600 x 120 x 208 4402 50W LED 600 x 120 x 208 5274 60W LED 600 x 120 x 208
--	--

 D21/D22/D23/D15/D16	DUAL ARM POLAR - VERTICAL MOUNTING 5333 2 x 30W LED 1200 x 120 x 208 4403 2 x 50W LED 1200 x 120 x 208 5277 2 x 60W LED 1200 x 120 x 208
---	--

 D16	CROSS POLAR - VERTICAL MOUNTING 5425 30W LED 950 x 120 x 400 5426 50W LED 950 x 120 x 400 5427 60W LED 950 x 120 x 400
--	--

 D21/D22/D23/D15/D16	MEGA POLAR - VERTICAL MOUNTING 4404 50W LED 1000 x 120 x 208 5280 60W LED 1000 x 120 x 208
--	---




 D21/D22/D23/D15/D16	DUAL ARM MEGA POLAR - VERTICAL MOUNTING 4405 2 x 50W LED 2000 x 120 x 208 5283 2 x 60W LED 2000 x 120 x 208
---	--



D21/D22/D23/D15/D16

UNI WING POLAR - VERTICAL MOUNTING

4406	50W LED	1100 x 120 x 366
5286	60W LED	1100 x 120 x 366



D22/D23/D15/D16

WING POLAR - VERTICAL MOUNTING


4407	2 x 50W LED	2000 x 120 x 366
5289	2 x 60W LED	2000 x 120 x 366



D23/D15/D16

DUO MEGA POLAR - VERTICAL MOUNTING

4408	100W LED	900 x 172 x 300
5281	120W LED	900 x 172 x 300



D23/D15/D16

UNI WING DUO POLAR - VERTICAL MOUNTING


4409	100W LED	1000 x 172 x 445
5287	120W LED	1000 x 172 x 445



D23/D15/D16

DUAL ARM DUO MEGA POLAR - VERTICAL MOUNTING

4410	2 x 100W LED	1800 x 172 x 300
5284	2 x 120W LED	1800 x 172 x 300



D23/D15/D16

WING DUO POLAR - VERTICAL MOUNTING


4411	2 x 100W LED	1800 x 172 x 445
5290	2 x 120W LED	1800 x 172 x 445

ID	Arms	Wattage	Height	Arm Length	Mounting
KP-7231/68	Single Arm	2 x 60W/50W	6000	1200/1000	KP-58/70
KP-7232/69	Single Arm	2 x 60W/50W	7000	1200/1000	KP-58/70
KP-7233	Single Arm	2 x 60W	8000	1200	KP-58
KP-7234	Single Arm	2 x 60W	9000	1200	KP-58
KP-7270	Single Arm	1 x 50W	6000	1000	KP-70
KP-7271	Double Arm	2 x 50W	6000	2000	KP-70
KP-7272	Asymmetrical Arm	2 x 50W	6000	1800	KP-70
KP-7273	Rectangle SA	2 x 50W	6000	1100	KP-70
KP-7274	Rectangle DA	4 x 50W	6000	1580	KP-70
KP-7275	Rectangle AA	2 x 50W&30W	6000	1380	KP-70
KP-7276	Asymmetrical Arm	4 x 40W	5000	2000	KP-71





KP-4818 P5	10W	2500
KP-4819 P5	2 × 10W	3500



KP-4820 P5	60W+20W	6000
KP-4821 P5	60W	6000



KP-4822 P5	60W	4000
------------	-----	------





KP-4767 P5	1 × 55W	4500
KP-4768 P5	2 × 55W	4500

Colour : Graphite Grey

Cross Polar Lighting Pole

ID	Height	Wattage	Mounting
KP-7250 P5	8000	3 × 50W	KP-57.7
KP-7267 P5	8000	4 × 50W	KP-57.7


For Decorative Embellishment refer page no. 79



Sleek Polar Poles

ID	Arms	Wattage	Height	Arm Length	Mounting
KP-4793	Single Arm	1 x 24W	3000	600	KP-56.11
KP-4794	Double Arm	2 x 24W	3000	1200	KP-56.11
KP-4795	L Arm	1 x 24W	3000	600	KP-56.11
KP-4813	Asymmetrical Arm	2 x 24W	3660	1200	KP-56.11
KP-4816	Single Arm	1 x 24W	3660	600	KP-56.11
KP-4817	Double Arm	2 x 24W	3660	1200	KP-56.11
KP-4823	Parallel Arm	2 x 24W	4000	700	KP-57.3

P5 Quadra Pole. Decorative Embellishment & Base cover refer page no. 79



KP-4793

KP-4795

KP-4817

KP-4794

KP-4813

KP-4816

Sleek Polar Poles

ID	Arms	Wattage	Height	Arm Length	Mounting
KP-4862 / 4863	Single Arm	1 × 30W	3000 / 4000	600	KP-56.1/57.3
KP-4864 / 4865	Double Arm	2 × 30W	3000 / 4000	1200	KP-56.1/57.3
KP-4866 / 4867	L Arm	1 × 30W	3000 / 4000	600	KP-56.1/57.3
KP-4868 / 4869	Single Arm	1 × 30W	3000 / 4000	600	KP-56.1/57.3
KP-4870 / 4871	Double Arm	2 × 30W	3000 / 4000	1200	KP-56.1/57.3
KP-4872 / 4873	Asymmetrical Arm	2 × 30W	3000 / 4000	1200	KP-56.1/57.3

P5 Quadra Pole. Decorative Embellishment & Base cover refer page no. 79



Polar Poles

ID	Arms	Wattage	Height	Arm Length	Mounting
KP-4761	Single Arm	1 x 60W	3000	900	KP-56.2
KP-4762	Double Arm	2 x 60W	3000	1800	KP-56.2
KP-4763	L Arm	1 x 60W	3000	900	KP-56.2
KP-4764	V Arm	2 x 60W	4000	1414	KP-57.4
KP-4765	Square Arm	2 x 60W	4000	845	KP-57.4
KP-7221	Single Arm	1 x 60W	6000	1145	KP-57.5
KP-7222	Double Arm	2 x 60W	6000	1800	KP-57.5
KP-7229	Single Arm	1 x 60W	6000	900	KP-57.5
KP-7230	Asymmetrical Arm	3 x 60W	7000	1950	KP-57.5
KP-7225	Single Arm	1 x 60W	7000	1145	KP-57.5
KP-7226	Double Arm	2 x 60W	7000	1800	KP-57.5

P5 Quadra Pole. Base cover refer page no. 79



KP-4763

KP-7229

KP-4762

KP-4761

KP-4765

KP-7230

KP-4764

KP-7222

KP-7221

Juno Hoop Lighting Poles

ID	Luminaires	Height	Mounting
KP-4835 P7	Single	4000	KP-61
KP-4836 P7	Double	5000	KP-62
KP-4837 P7	Triple	6000	KP-62
JUNO			
4297	60W		Ø600 x 90




Bamboo Lighting Poles



ID	Arms	Wattage	Height	Mounting
KP-4838	Single Arm	1 x 20W	3000	KP-61
KP-4839	Double Arm	2 x 20W	3000	KP-61
KP-4840	Single Arm	1 x 20W	3660	KP-61
KP-4841	Double Arm	2 x 20W	3660	KP-61

P7 Circular Pole





Flat

Colombia

Circular

Cyclo Aluminium

Quadra 80mm

Quadra 100mm

FLAT LIGHTING POLES

ID	Height	D1	D2	BC	Mounting
KP-4284	1830	Ø139.7	Ø60.3	BC2/4	KP-49
KP-4280	2440	Ø139.7	Ø60.3	BC2/4	KP-49
KP-4786	3050	Ø139.7	Ø60.3	BC2/4	KP-49
KP-4787	3660	Ø139.7	Ø60.3	BC2/4	KP-49
KP-4290	2440	Ø139.7	Ø76.1	BC2/4	KP-49
KP-4790	3050	Ø139.7	Ø76.1	BC2/4	KP-49
KP-4791	3660	Ø139.7	Ø76.1	BC2/4	KP-49
KP-4792	4270	Ø139.7	Ø76.1	BC2/4	KP-49
KP-7263	5000	Ø114.3	Ø88.9	BC3	KP-51
KP-7264	6000	Ø114.3	Ø88.9	BC3	KP-51
KP-7260	7000	Ø139.7	Ø88.9	-	KP-51
KP-7261	8000	Ø139.7	Ø88.9	-	KP-51
KP-7262	9000	Ø139.7	Ø88.9	-	KP-51

COLOMBIA LIGHTING POLES

KP-6004	2440	Ø139.7	Ø60.3	BC2/4	KP-49
KP-6005	3050	Ø139.7	Ø60.3	BC2/4	KP-49
KP-6006	3660	Ø139.7	Ø60.3	BC2/4	KP-49
KP-6013	3050	Ø139.7	Ø76.1	BC2/4	KP-49
KP-6014	3660	Ø139.7	Ø76.1	BC2/4	KP-49
KP-6010	4270	Ø139.7	Ø76.1	BC2/4	KP-49

QUADRA LIGHTING POLES


KP-4771	2440	-	□80	BC5*	KP-56.1
KP-4772	3000	-	□80	BC5*	KP-56.1
KP-4773	3660	-	□80	BC5*	KP-56.1
KP-4774	4270	-	□80	BC5*	KP-57.3
KP-4775	5000	-	□80	BC5*	KP-57.3
KP-4295	2440	-	□100	BC5	KP-56.2
KP-4779	3000	-	□100	BC5	KP-56.2
KP-4780	3660	-	□100	BC5	KP-56.2
KP-4781	4270	-	□100	BC6	KP-57.4
KP-4782	5000	-	□100	BC6	KP-57.4
KP-4783	6000	-	□100	BC6	KP-57.4
KP-4784	7000	-	□100	-	KP-57.5
KP-7254	7000	□150	□100	-	KP-57.7
KP-7255	8000	□150	□100	-	KP-57.7
KP-7256	9000	□150	□100	-	KP-57.7

CYCLO ALUMINIUM POLES

KP-4364	3000	-	Ø100	BC1*	KP-63
KP-4365	4000	-	Ø100	BC1*	KP-63

CIRCULAR LIGHTING POLES

KP-4267	2440	-	Ø88.9	BC1*	KP-44
KP-4268	3000	-	Ø88.9	BC1*	KP-44
KP-4269	3660	-	Ø88.9	BC1*	KP-44
KP-4270	4270	-	Ø88.9	BC1*	KP-44
KP-4285	2440	-	Ø114.3	BC1/3	KP-8
KP-4278	3000	-	Ø114.3	BC1/3	KP-8
KP-4277	3660	-	Ø114.3	BC1/3	KP-8
KP-4279	4270	-	Ø114.3	BC1/3	KP-28
KP-4239	5000	-	Ø114.3	BC3	KP-51
KP-4240	6000	-	Ø114.3	-	KP-39
KP-4238	7000	-	Ø114.3	-	KP-39



BASE COVER

KP-9106

KP-9101 / KP-9102

KP-9109

KP-9103 / KP-9105 / KP-9107

KP-9110

DECORATIVE EMBELLISHMENT

ID	Suitable Pipe		
KP-9109	□60 / □100		
KP-9110	□100 / □150		
ID	Suitable Pipe	Suitable Base Plate	BC
KP-9101	Ø114.3	□200	BC1
KP-9102	Ø139.7	□200	BC2
KP-9103	Ø114.3	□250	BC3
KP-9105	Ø139.7	□250	BC4
KP-9106	□100	□200	BC5
KP-9107	□100	□250	BC6
KP-9108	□150	□300	BC7

Garden Lighting Poles

TWINKLE LIGHTING POLE




KP-3825	P8	Ø50.8	Ht.2000	KP-27
KP-3827	P8	Ø76.1	Ht.2440	KP-49
KP-3828	P8	Ø76.1	Ht.3050	KP-49
KP-3829	P8	Ø76.1	Ht.3660	KP-49
KP-3830	P8	Ø76.1	Ht.4270	KP-49

COBRA RANA LIGHTING POLE




KP-2519	P14	Ø60.3	Ht.2440	KP-49
KP-2520	P14	Ø60.3	Ht.3050	KP-49
KP-2521	P14	Ø60.3	Ht.3660	KP-49
KP-2522	P14	Ø60.3	Ht.4270	KP-49

VIPER LIGHTING POLE



KP-3801	P14	Ø60.3	Ht.3660	KP-49
KP-3802	P14	Ø60.3	Ht.4270	KP-49

LORA LIGHTING POLE



KP-3798	P8	24W LED	Ht.2440	KP-49
KP-3799	P8	24W LED	Ht.3050	KP-49
KP-3800	P8	24W LED	Ht.3660	KP-49
KP-3797	P8	24W LED	Ht.4270	KP-49

Inclusive of luminaire



KP-3818

KP-3824

TUSKER RANA LIGHTING POLE

KP-3816	P14	Ø60.3	Ht.2440	KP-49
KP-3817	P14	Ø60.3	Ht.3050	KP-49
KP-3818	P14	Ø60.3	Ht.3660	KP-49
KP-3819	P14	Ø60.3	Ht.4270	KP-49
KP-3858	P8	Ø76.1	Ht.5500	KP-51.2

WINGER LIGHTING POLE

KP-3822	P14	Ø76.1	Ht.3050	KP-49
KP-3823	P14	Ø76.1	Ht.3660	KP-49
KP-3824	P14	Ø76.1	Ht.4270	KP-49

CORDIA LIGHTING POLE  Ø88.9 KP-4367	ANCHOR CORDIA LIGHTING POLE  Ø88.9 KP-4371	MONAL LIGHTING POLE  Ø88.9 KP-3832	MONAL LIGHTING POLE  Ø88.9 KP-4376
KP-4367 P7 SA Ht.3660 KP-44	KP-4371 P7 SA Ht.3660 KP-44	KP-3831 P7 SA Ht.3000 KP-44	KP-4376 P7 DA Ht.3660 KP-44
KP-4368 P7 SA Ht.4270 KP-44	KP-4372 P7 SA Ht.4270 KP-44	KP-3832 P7 SA Ht.3500 KP-44	KP-4377 P7 DA Ht.4270 KP-44
KP-4369 P7 DA Ht.3660 KP-44	KP-4373 P7 DA Ht.3660 KP-44	KP-3833 P7 SA Ht.4000 KP-44	
KP-4370 P7 DA Ht.4270 KP-44	KP-4374 P7 DA Ht.4270 KP-44		
EAGLE LIGHTING POLE  Ø76.1 KP-4758	SLICE LIGHTING POLE  Ø76.1 KP-4288	MINAR LIGHTING POLE  Ø76.1 KP-4208	CHINAR LIGHTING POLE  Ø76.1 KP-4222
KP-4758 P8 SA Ht.3660 KP-49	KP-4287 P9 Ø76.1 Ht. 3050 KP-37	KP-4207 P14 Ø76.1 Ht. 2440 KP-49	KP-4221 Ø76.1 Ht. 2440 KP-49
KP-4759 P8 DA Ht.3660 KP-49	KP-4288 P9 Ø76.1 Ht. 3660 KP-37	KP-4208 P14 Ø76.1 Ht. 3050 KP-49	KP-4222 Ø76.1 Ht. 3050 KP-49
	KP-4289 P9 Ø76.1 Ht. 4270 KP-37	KP-4209 P14 Ø76.1 Ht. 3660 KP-49	KP-4223 Ø76.1 Ht. 3660 KP-49

TUSKER ARCH LIGHTING POLE 	SWATHI LIGHTING POLE 	EXENDRA LIGHTING POLE 	EXENDRA LIGHTING POLE 
KP-3807 Ø76.1 Ht.4270 KP-49 KP-3808 Ø76.1 Ht.5000 KP-51 KP-3809 Ø76.1 Ht.6000 KP-51	KP-3851 Ø88.9 Ht.4000 KP-44 KP-3852 Ø88.9 Ht.5000 KP-66	KP-4314 P8 SA Ø60.3 Ht.3050 KP-49 KP-4315 P8 SA Ø60.3 Ht.3660 KP-49	KP-4316 P8 DA Ø60.3 Ht.3050 KP-49 KP-4317 P8 DA Ø60.3 Ht.3660 KP-49
E27 Holder suitable for 11W LED			
KOKI LIGHTING POLE 	DRIVE WAY LIGHTING POLE 	PELICAN LIGHTING POLE 	WAVY LIGHTING POLE 
KP-4193 P14 Ø76.1 Ht.4880 KP-40 KP-4190 P14 Ø76.1 Ht.4270 KP-49	KP-4154 P8 Ø60.3 Ht.3050 KP-49 KP-4155 P8 Ø60.3 Ht.3660 KP-49	KP-4544 P8 SA Ht.3050 KP-49 KP-4545 P8 SA Ht.3660 KP-49 KP-4546 P8 DA Ht.3050 KP-49 KP-4547 P8 DA Ht.3660 KP-49	KP-4674 P14 SA Ht.4570 KP-40 KP-4675 P14 DA Ht.4570 KP-40 KP-4676 P14 TA Ht.4570 KP-40



MUSKAN LIGHTING POLE

KP-49
KP-4630


KP-4627 P8	SA	Ø60.3	Ht.3050
KP-4628 P8	DA	Ø60.3	Ht.3050
KP-4629 P8	SA	Ø60.3	Ht.3660
KP-4630 P8	DA	Ø60.3	Ht.3660



EMPIRE LIGHTING POLE

KP-49
KP-4476


KP-4474 P8	SA	Ø60.3	Ht.3050
KP-4485 P8	SA	Ø60.3	Ht.3660
KP-4476 P8	DA	Ø60.3	Ht.3050
KP-4486 P8	DA	Ø60.3	Ht.3660



BLOSSOM SMALL LIGHTING POLE

KP-49
KP-4684

KP-4681 P8	FA	Ø76.1	Ht.3050
KP-4684 P8	FA	Ø76.1	Ht.3660



BLOSSOM LIGHTING POLE

KP-49
KP-4694


KP-4691 P8	FA	Ø76.1	Ht.3050
KP-4694 P8	FA	Ø76.1	Ht.3660



VENUS 3 LIGHTING POLE

KP-49
KP-4411

KP-4411 P8	Venus 3	Ht.3050
KP-4412 P8	Venus 5	Ht.3660



VENUS 9 LIGHTING POLE

KP-40
KP-4413


KP-4413 P8	Venus 9	Ht.4270
------------	---------	---------



VENUS 17 LIGHTING POLE

KP-29
KP-4416


KP-4416	Venus 17	Ht.6000
---------	----------	---------



KP-4502 P8	SA	Ht.4270	KP-49
KP-4503 P8	DA	Ht.4270	KP-49




KP-4728 P8	SA	Ht.4570	KP-40
KP-4729 P8	DA	Ht.4570	KP-40



KP-4518 P14	DA	Ht.3050	KP-49
KP-4519 P14	DA	Ht.3660	KP-49



KP-4730 P8	SA	Ht.4570	KP-40
KP-4731 P8	DA	Ht.4570	KP-40



KP-4732 P8	SA	Ht.3050	KP-49
KP-4733 P8	DA	Ht.3050	KP-49



KP-4534 P8	SA	Ht.3660	KP-49
KP-4535 P8	SA	Ht.4270	KP-49



KP-4504 P13	SA	Ht.4270	KP-16
KP-4505 P13	DA	Ht.4270	KP-16

Bracket option : Post Top / Street Light

BISHOP PELICAN ORNA LIGHTING POLE  Ø76.1 KP-4258	BISHOP PELICAN ORION LIGHTING POLE  Ø76.1 KP-4259	CURVY FURROW BISHOP LIGHTING POLE  KP-16 KP-3843	CURVY BISHOP LIGHTING POLE  KP-16 KP-3840
KP-4257 P12 SA Ht.4270 KP-16	KP-4259 P12 SA Ht.4270 KP-16	KP-3843 P12 SA Ø88.9 Ht.4270	KP-3840 P12 DA Ø76.1 Ht.4270
KP-4258 P12 DA Ht.4270 KP-16	KP-4260 P12 DA Ht.4270 KP-16	CURVY BISHOP LIGHTING POLE KP-3839 P12 SA Ø76.1 Ht.4270	CURVY FURROW BISHOP LIGHTING POLE KP-3844 P12 DA Ø88.9 Ht.4270
FURROW BISHOP DRIVE WAY ORNA LIGHTING POLE  Ø88.9 KP-4230	BISHOP DRIVE WAY ORNA LIGHTING POLE  Ø76.1 KP-4199	PELICAN ORNA FLORIAN LIGHTING POLE  KP-8320	CORALUME ORNA FURROW FLORIAN  KP-4360
KP-4228 SA Ht.3660 KP-16	KP-4198 SA Ht.3660 KP-16	KP-8320 P11 SA Ht. 5200 KP-34	KP-4359 P11 DA Ht. 4270 KP-34
KP-4230 SA Ht.4270 KP-16	KP-4199 SA Ht.4270 KP-16	KP-8321 P11 DA Ht. 5200 KP-34	KP-4360 P11 FA Ht. 4270 KP-34
KP-4237 AA Ht.4270 KP-16	KP-4200 AA Ht.4270 KP-16		



Cross

Furrow Bishop

Causeway Midi

Causeway

Cross Bishop

Causeway Mini

**CAUSEWAY**

ID	Pole Dia	Height	Mounting
KP-4338 P13	Ø76.1	3050	KP-16
KP-4339 P13	Ø76.1	3660	KP-16
KP-4340 P13	Ø76.1	4270	KP-16

CAUSEWAY MIDI

KP-4335 P13	Ø76.1	3050	KP-16
KP-4336 P13	Ø76.1	3660	KP-16
KP-4337 P13	Ø76.1	4270	KP-16

CAUSEWAY MINI

KP-4334	Ø76.1	1830	KP-35
---------	-------	------	-------

FURROW CAUSEWAY

KP-4347 P13	Ø88.9	3050	KP-16
KP-4348 P13	Ø88.9	3660	KP-16
KP-4351 P13	Ø88.9	4270	KP-16

FURROW CAUSEWAY MIDI

KP-4344 P13	Ø88.9	3050	KP-16
KP-4345 P13	Ø88.9	3660	KP-16
KP-4346 P13	Ø88.9	4270	KP-16

FURROW CAUSEWAY MINI

KP-4352	Ø88.9	1830	KP-35
---------	-------	------	-------

BISHOP

KP-4324 P12	Ø76.1	3050	KP-16
KP-4325 P12	Ø76.1	3660	KP-16
KP-4326 P12	Ø76.1	4270	KP-16

FURROW BISHOP

KP-4305 P12	Ø88.9	3050	KP-16
KP-4306 P12	Ø88.9	3660	KP-16
KP-4307 P12	Ø88.9	4270	KP-16

CROSS BISHOP

KP-4302 P12	Ø76.1	3050	KP-16
KP-4303 P12	Ø76.1	3660	KP-16
KP-4304 P12	Ø76.1	4270	KP-16

CROSS

KP-4160 P15	Ø76.1	3050	KP-12
KP-4187 P15	Ø76.1	3660	KP-12
KP-4188 P15	Ø76.1	4270	KP-12

BRACKET OPTIONS**SORA BRACKET**

KP-4382/83	SA/DA	Ht.280
------------	-------	--------

**NENE BRACKET**

KP-4380/81	SA/DA	Ht.190
------------	-------	--------

**SLYVIA BRACKET**

KP-4378/79	SA/DA	Ht.213
------------	-------	--------

Brackets suitable for Ø50, Ø60 & Ø76 OD pipe.




Furrow Florian



Missile



Florian



Cl.Doric



Cl.Mercia



Cl.Furrow Vinca

**FLORIAN**

ID	Pole Dia	Height	Mounting
KP-4327 P I I	Ø76.1	4270	KP-34
KP-4328 P I I	Ø76.1	4880	KP-34

FURROW FLORIAN

KP-4308 P I I	Ø88.9	4270	KP-34
KP-4309 P I I	Ø88.9	4880	KP-34

MISSILE

KP-4169 P I 5	Ø76.1	3660	KP-12
KP-4196 P I 5	Ø76.1	4270	KP-12

Cast Iron Pole**DORIC**

KP-4384	-	3200	KP-67
---------	---	------	-------

Cast Iron Base**VINCA**

KP-4385	Ø88.9	3050	KP-74
KP-4386	Ø88.9	3660	KP-74
KP-4387	Ø88.9	4270	KP-74

FURROW VINCA

KP-4388	Ø88.9	3050	KP-74
KP-4389	Ø88.9	3660	KP-74
KP-4390	Ø88.9	4270	KP-74

MERCIA

KP-4391	Ø88.9	3050	KP-75
KP-4392	Ø88.9	3660	KP-75
KP-4393	Ø88.9	4270	KP-75

FURROW MERCIA

KP-4394	Ø88.9	3050	KP-75
KP-4395	Ø88.9	3660	KP-75
KP-4396	Ø88.9	4270	KP-75

BRACKET OPTIONS**SORA BRACKET**

KP-4382/83	SA/DA	Ht.280
------------	-------	--------

**NENE BRACKET**


KP-4380/81	SA/DA	Ht.190
------------	-------	--------

**SLYVIA BRACKET**



KP-4378/79	SA/DA	Ht.213
------------	-------	--------

Brackets suitable for Ø50, Ø60 & Ø76 OD pipe.

MONAL LIGHTING POLE  KP-3845	PREMIUM LIGHTING POLE  KP-51 KP-8057	JAVELIN LIGHTING POLE  KP-51 KP-7172	
KP-3845 P7 SA Ø88.9 Ht.5000 KP-66	KP-8054/55 P10 SA/DA Ht.6000	KP-7166/67 P1 SA/DA Ht.6000	
KP-3861 P7 DA Ø88.9 Ht.5000 KP-66	KP-8056/57 P10 SA/DA Ht.7000	KP-7172 P1 SA Ht.9000	
KP-8046 P7 SA Ø114.3 Ht.7000 KP-39	KP-8058/59 P10 SA/DA Ht.8000	KP-7173 P1 DA Ht.9000	
KP-8048 P7 DA Ø114.3 Ht.7000 KP-39	KP-8060/61 P10 SA/DA Ht.9000	KP-7174 P1 AA Ht.9000	
NEW TONGO LIGHTING POLE  KP-7283	NEW MIRAZ LIGHTING POLE  KP-51	EMPEROR LIGHTING POLE  KP-7175	EMPRESS LIGHTING POLE  KP-51 KP-7182
KP-7283 P7 SA Ht.5000 KP-66	KP-7289 P7 48 & 24W LED Ht.5500	KP-7175 P1 SA Ht.7000 KP-51	KP-7208/09 P1 SA/DA Ht.6000
KP-7284 P7 SA Ht.7000 KP-39	Inclusive of luminaire	KP-7176 P1 DA Ht.7000 KP-51	KP-7182/83 P1 SA/DA Ht.9000
			KP-7184 P1 AA Ht.9000

EAGLE LIGHTING POLE					NEW																								
	KP-7287				AMERICAN LIGHTING POLE					KP-8139	AMERICAN MEGA LIGHTING POLE				KP-8183					KP-8183	MARINO LIGHTING POLE				KP-7285	NEW			
	KP-7287	PI	SA	Ht.9000		KP-51	KP-7168	PI	SA		Ht.6000	KP-51	KP-8183	PI		SA	Ht.9000	KP-51	KP-7285		PI	SA	Ht.9000	KP-51					
KP-7288	PI	DA	Ht.9000	KP-51	KP-7169	PI	DA	Ht.6000	KP-51	KP-8180	PI	DA	Ht.9000	KP-51	KP-7286	PI	DA	Ht.9000	KP-51										
				KP-8139	PI	SA	Ht.9000	KP-51					KP-8140	PI	DA	Ht.9000	KP-51												

MILAN LIGHTING POLE					NEW																								
	KP-7290				QUADRA LIGHTING POLE					6M - KP-57.4 9M - KP-57.7 KP-8175	KEONI LIGHTING POLE				KP-3855					KP-3855	HADVIK LIGHTING POLE				KP-3849	NEW			
	KP-7290	P7	SA	Ht.5000		KP-66	KP-8178/79	P5	SA/DA		Ht.6000	KP-3859	P7	SA		Ht.5000	KP-66	KP-3849	P5		□80	Ht.5000	KP-57.3						
KP-7291	P7	DA	Ht.5000	KP-66	KP-8174/75	P5	SA/DA	Ht.9000	KP-3860	P7	AA	Ht.5000	KP-66																
				KP-8176	P5	AA	Ht.9000																						

NEERO LIGHTING POLE  KP-8136	SWORD LIGHTING POLE  KP-7193	EGRET LIGHTING POLE  KP-8315	EGRET FLACO LIGHTING POLE  KP-8305
KP-8136 PI SA Ht.9000 KP-51 KP-8182 PI DA Ht.9000 KP-51	KP-7210 PI SA Ht.6000 KP-51 KP-7211 PI DA Ht.6000 KP-51 KP-7192 PI SA Ht.7000 KP-51 KP-7193 PI DA Ht.7000 KP-51	KP-8314 PI SA Ht.6000 KP-51 KP-8315 PI DA Ht.6000 KP-51 KP-8316 PI SA Ht.7000 KP-51 KP-8317 PI DA Ht.7000 KP-51	KP-8304 PI0 SA Ht.6000 KP-51 KP-8305 PI0 DA Ht.6000 KP-51 KP-8306 PI0 SA Ht.7000 KP-51 KP-8307 PI0 DA Ht.7000 KP-51
SEAGULL LIGHTING POLE  KP-8185	GIRAFFE LIGHTING POLE ECO - Model  KP-20 KP-8194	ASLAN LIGHTING POLE  KP-7502	
KP-8185 PI SA Ht.9000 KP-17 KP-8186 PI DA Ht.9000 KP-17	KP-8192/93 SA/DA Ht.8000 KP-8194 AA Ht.8000 KP-8204/05 SA/DA Ht.9000 KP-8207 AA Ht.9000	KP-7501 SA Ht.9000 KP-51 KP-7502 DA Ht.9000 KP-51 KP-7503 AA Ht.9000 KP-51	




MAMBA LIGHTING POLE

KP-7504 P7	SA	Ht.7000	KP-39
KP-7505 P7	DA	Ht.7000	KP-39




VICTORY FALCO LIGHTING POLE

KP-8300 P10	SA	Ht.6000	KP-51
KP-8301 P10	DA	Ht.6000	KP-51
KP-8302 P10	SA	Ht.7000	KP-51
KP-8303 P10	DA	Ht.7000	KP-51




HAWK LIGHTING POLE

KP-8078 P7	SA	Ht.6000	KP-51
KP-8079 P7	DA	Ht.6000	KP-51
KP-8080 P7	SA	Ht.7000	KP-39
KP-8081 P7	DA	Ht.7000	KP-39



FISHY LIGHTING POLE

KP-7212/13 PI	SA/DA	Ht.6000	KP-51
KP-7214/15 PI	SA/DA	Ht.7000	KP-51
KP-7194/95 PI	SA/DA	Ht.9000	
KP-7196 PI	AA	Ht.9000	



COBRA LIGHTING POLE


KP-7292 P8	SA	Ht.5000	KP-51
KP-7293 P8	SA	Ht.6000	KP-51

NEW



MONARC LIGHTING POLE




KP-8109/05 PI	SA/DA	Ht.6000	KP-51
KP-8090/93 PI	SA/DA	Ht.7000	
KP-8091/94 PI	SA/DA	Ht.8000	
KP-8092/95 PI	SA/DA	Ht.9000	



DARTER LIGHTING POLE


KP-7295/96	SA/DA	Ht.6000	KP-51
KP-7297/98	SA/DA	Ht.7000	
KP-7299/7300	SA/DA	Ht.8000	
KP-7301/02	SA/DA	Ht.9000	

NEW

NINJA LIGHTING POLE  KP-8042	NAGA LIGHTING POLE  KP-8236	KALINGA FLACO LIGHTING POLE  KP-7531	
KP-8041 PI SA Ht.7000 KP-51 KP-8042 PI DA Ht.7000 KP-51 KP-8043 PI SA Ht.9000 KP-51 KP-8044 PI DA Ht.9000 KP-51	KP-8233 PI SA Ht.7000 KP-51 KP-8234 PI DA Ht.7000 KP-51 KP-8235 PI SA Ht.9000 KP-51 KP-8236 PI DA Ht.9000 KP-51	KP-7531 PI0 DA Ht.7000 KP-51 KALINGA LIGHTING POLE KP-7532 PI DA Ht.7000 KP-51	
NARNIA LIGHTING POLE  KP-8229	CONGO LIGHTING POLE  KP-8065	DRAGON LIGHTING POLE  KP-7202	HALO LIGHTING POLE  KP-7200
KP-8229 PI SA Ht.7000 KP-51 KP-8230 PI SA Ht.9000 KP-51	KP-8062/63 PI0 SA/DA Ht.6000 KP-8064/65 PI0 SA/DA Ht.7000 KP-8066/67 PI0 SA/DA Ht.8000 KP-8068/69 PI0 SA/DA Ht.9000	KP-7216/17 PI SA/DA Ht.6000 KP-7202/03 PI SA/DA Ht.9000 KP-7204 PI AA Ht.9000	KP-7200 PI SA Ht.9000 KP-51 KP-7201 PI DA Ht.9000 KP-51

KNOTTY LIGHTING POLE  KP-8149	BULL HORN LIGHTING POLE  KP-8187	PELICAN LIGHTING POLE  KP-51 KP-7219	AMERICAN ORNA LIGHTING POLE - SWAGED  KP-8241
KP-8149 PI SA Ht.9000 KP-51	KP-8187 P9 SA Ht.9000 KP-18	KP-7185/86 PI SA/DA Ht.7000	KP-8298 PI SA Ht.7000 KP-51
KP-8150 PI DA Ht.9000 KP-51	KP-8188 P9 DA Ht.9000 KP-18	KP-7188 PI AA Ht.7000	KP-8299 PI DA Ht.7000 KP-51
KP-8198 PI AA Ht.9000 KP-51	KP-8199 P9 AA Ht.9000 KP-18	KP-7218/19 PI SA/DA Ht.9000	KP-8241 PI SA Ht.9000 KP-51
		KP-7220 PI AA Ht.9000	KP-8242 PI DA Ht.9000 KP-51
TWINKLE FLACO LIGHTING POLE  KP-8333	AMERICAN ORNA FLACO LIGHTING POLE  KP-8335	SNACKY FLACO LIGHTING POLE  KP-8337	AMERICAN ORNA FLACO LIGHTING POLE  KP-7525
KP-8333 PI0 SA Ht.5500 KP-51	KP-8335 PI0 SA Ht.5500 KP-51	KP-8337 PI0 SA Ht.5500 KP-51	KP-7524 PI0 SA Ht.7000 KP-51
KP-8334 PI0 DA Ht.5500 KP-51	KP-8336 PI0 DA Ht.5500 KP-51	KP-8338 PI0 DA Ht.5500 KP-51	KP-7525 PI0 DA Ht.7000 KP-51

Base cover refer page no. 79

VICTORIAN LIGHTING POLE  KP-8258	OSPREY LIGHTING POLE  KP-8250	DECO HANGER LIGHTING POLE  KP-8244	CLASSIQUE LIGHTING POLE  KP-8254
KP-8258 PI SA Ht.9000 KP-51	KP-8249 PI SA Ht.9000 KP-51	KP-8237 PI SA Ht.7000 KP-51	KP-8288 PI SA Ht.6000 KP-51
KP-8259 PI DA Ht.9000 KP-51	KP-8250 PI DA Ht.9000 KP-51	KP-8238 PI DA Ht.7000 KP-51	KP-8289 PI DA Ht.6000 KP-51
		KP-8243 PI SA Ht.9000 KP-51	KP-8253 PI SA Ht.9000 KP-51
		KP-8244 PI DA Ht.9000 KP-51	KP-8254 PI DA Ht.9000 KP-51
PELICAN ORNA MINI FLORIAN LIGHTING POLE  KP-8329	PELICAN ORNA FURROW FLORIAN LIGHTING POLE  KP-8332	ELEGANCE ORNA FLORIAN LIGHTING POLE  KP-8342	ELEGANCE ORNA FLACO LIGHTING POLE  KP-8351
KP-8328 PII SA Ht.7300 KP-38	KP-8330 PII SA Ht.9000 KP-38	KP-8341 PII SA Ht.7000 KP-38	KP-8350 PI0 SA Ht.8000 KP-51.4
KP-8329 PII DA Ht.7300 KP-38	KP-8331 PII DA Ht.9000 KP-38	KP-8342 PII DA Ht.7000 KP-38	KP-8351 PI0 DA Ht.8000 KP-51.4
	KP-8332 PII FA Ht.9000 KP-38		

Base cover available at extra cost.



Architectural Lighting Pole

GEORGIA

ID	Arm	Height	Mounting
KP-4310 P17	-	4000	KP-72.1

PELICAN GEORGIA

KP-8343 P17	SA	7000	KP-72.4
KP-8344 P17	DA	7000	KP-72.4

CORALUME ORNA GEORGIA

KP-8345 P17	FA	7000	KP-72.4
-------------	----	------	---------


PELICAN ORION GEORGIA

KP-8346 P17	SA	8000	KP-72.5
KP-8347 P17	DA	8000	KP-72.5

PELICAN ORION FURROW GEORGIA

KP-8348 P17	SA	8000	KP-72.5
KP-8349 P17	DA	8000	KP-72.5





ELEGANCE FURROW FLORIAN

ID	Arm	Height	Mounting
KP-8274 P I I	SA	7000	KP-38
KP-8275 P I I	DA	7000	KP-38

ELEGANCE FLORIAN

KP-8284 P I I	SA	7000	KP-38
KP-8285 P I I	DA	7000	KP-38

ELEGANCE

KP-8286 P I	SA	6000	KP-51
KP-8287 P I	DA	6000	KP-51
KP-8247 P I	SA	9000	KP-51
KP-8248 P I	DA	9000	KP-51


ELEGANCE FLACO

KP-7508 P I O	SA	7000	KP-51
KP-7509 P I O	DA	7000	KP-51

ELEGANCE - SWAGED

ELEGANCE FLORIAN

ELEGANCE FLACO



FRENCH FURROW FLORIAN

ID	Arm	Height	Mounting
KP-8276 P I I	SA	6000	KP-34
KP-8277 P I I	DA	6000	KP-34

FRENCH FLORIAN

KP-8282 P I I	SA	6000	KP-34
KP-8283 P I I	DA	6000	KP-34

FRENCH

KP-8290 P I	SA	6000	KP-51
KP-8291 P I	DA	6000	KP-51
KP-8255 P I	SA	9000	KP-51
KP-8256 P I	DA	9000	KP-51



FRENCH FLACO

KP-7506 P I O	SA	6000	KP-51
KP-7507 P I O	DA	6000	KP-51

FRENCH - SWAGED

FRENCH FLORIAN

FRENCH FLACO



POLE TYPE : P I Swaged Pole. P I O Flaco Pole. P I I Florian Pole.

Area Lighting Poles

ID	Height	Arm Length	Mounting
KP-4717 P8	4570	300	KP-40
KP-4718 P8	4570	775	KP-40
KP-4719 P8	4570	1150	KP-40

ID	Height	Arm Length	Mounting
KP-8322 P8	6000	300	KP-51
KP-8323 P8	6000	775	KP-51
KP-8324 P8	6000	1150	KP-51
KP-8119 P8	4570	1100	KP-40
KP-8122 P1	10000	1600	KP-51



ID	Height	Arm Length	Mounting
KP-8131 PI	10000	2100	KP-51
KP-8120 PI	10000	2450	KP-51
KP-4723 PI	9500	1080	KP-51
KP-4724 PI	10000	1080	KP-51
KP-4704 PI0	7000	1000	KP-51
KP-4707 PI0	9000	1000	KP-51



KP-8131 - STREET KING

KP-8120 - STREET KING



KP-4723 - SPORT KING



KP-4724 - DUAL SPORT KING




KP-4704 / 07 - BUCIDA



Area Lighting Poles





ID	Height	Luminaires	Mounting
KP-1034 P8	9000	3	KP-51
KP-1035 P8	9000	3 / 6	KP-51
KP-1036 P8	9000	3 / 4 / 6	KP-51



KP-1034 - TRAPEZIUM MAST



KP-1036 - TRIO MAST




KP-1035 - HEXA MAST



BRUSSEL

ID	Height	Pole Size	Wattage	Mounting
KP-1062	5000	Ø139.7 x Ø88.9	4 x 45W LED	KP-51
KP-1063	7000	Ø139.7 x Ø88.9	8 x 45W LED	KP-51
KP-1064	5000	Ø139.7 x Ø88.9	3 x 45W LED	KP-51
KP-1065	7000	Ø139.7 x Ø88.9	4 x 45W LED	KP-51
KP-1066	6000	Ø139.7 x Ø88.9	6 x 45W LED	KP-51



Connect the luminaires, before connecting to Mains


Area Lighting Poles

POLAR MOON MICRO MAST


ID	Height	Wattage	Mounting
KP-4713 P8	5000	6 × 45W LED	KP-51
KP-4725 P8	5000	8 × 45W LED	KP-51




- Ring Option :
- Signal Red
 - Oxford Blue
 - Golden Yellow



ID	Height	Wattage	Mounting
KP-4708 P5	7000	6 × 60W LED	KP-57.5
KP-4769 P5	9000	8 × 60W LED	KP-57.8
KP-4770 P5	10000	8 × 60W LED	KP-57.8
KP-8326 P5	9000	4 × 60W LED	KP-57.8
KP-8327 P5	10000	4 × 60W LED	KP-57.8



**KAYAL**

4148 30W LED D6 Ø166 × 246 × 60

4149 45W LED D2 Ø273 × 353 × 82



D2 Ø488 × 192

JAMAL - CURVY (LEFT / RIGHT)

5134/36 1 × 50W LED

5135/37 2 × 50W LED

**VECTRA** D2 605 × 420 × 180

4152 2 × 50W LED

4153 3 × 50W LED

4298 4 × 50W LED

QUADRA MAST**QUADRA MAST**

ID	Height	Mounting
KP-1037 P5	7000	KP-57.5
KP-1038 P5	9000	KP-57.8

SPIRO MAST

KP-1032 P1	7000	KP-30
KP-1031 P1	9000	KP-30

JAVIER LIGHTING POLE

KP-3856 P7	5000	KP-51
KP-3857 P7	6000	KP-65

SPIRO MAST**JAVIER LIGHTING POLE**




Smart City Pole

K-Lite proudly announces the introduction of smart city poles (Intelligent poles) with its modular solution, to cater to the needs of the expanding urban spaces.

The smart city pole is going to be a service platform for various services for Network redundancy, application areas such as mobile connectivity (WLAN), traffic control, security camera (CCTV), information transfer, public announcement with loud speakers, smart parking, environmental monitoring and even the electric charger for cars etc.

For technical specification refer @ www.klite.in

**LIGHT MODULE**

ID : 4740

Wattage : 45W LED

CCT : 2700-6500

Material : PC diffuser, aluminium reflector with SS knob

Beam Angle : 24° / 45°

**LIGHT MODULE**

ID : 4741

Wattage : 50W LED

CCT : 2700-6500

Material : PC diffuser, aluminium reflector with SS knob

**LIGHT MODULE**

ID : 4738

Wattage : 30W LED

CCT : 2700-6500

Material : PC diffuser

**CCTV MODULE**

ID : 4742

Material : PC diffuser

**LOUDSPEAKER MODULE**

ID : 4743

**WLAN MODULE**

ID : 4744

**BASE PIPE WITH EV CHARGER POINT**

ID : 4745

1.5mts height


ID : 4746

2mts height

NOTE : Price exclusive of charger Kit, Speaker Kit, WLAN Kit, CCTV Kit

Customization available on request

More Modules are being added to this range.




Cassini High Mast

KP-1017	6	KP-55
Ht.12000		
Colour : Signal Red		




Octavia High Mast

KP-1018	6	KP-55
Ht.16000		
Colour : White / OffWhite / Signal Red		



Polygonal High Mast

KP-1011	6	KP-55
Ht.12000		
KP-1012	9	Ht.16000
KP-1013/14	12 / 9	Ht.20000
Colour : Suzuki Silver		





12V SERIES NON-WATERPROOF POWER SUPPLY

ID	Wattage	Output Current
8249	30W	2.5A
8137	36W	3A
8138	60W	5A
8250	72W	6A
8140	144W	12A
8251	180W	15A



24V SERIES NON-WATERPROOF POWER SUPPLY

ID	Wattage	Output Current
8252	72W	3A
8253	144W	6A
8254	240W	10A

TRIAC DIMMABLE DRIVER

ID	Wattage	Output Current	Suitable For
8216	10W	15-18Vdc, 700mA	Line-n-Dot
8217	20W	30-33Vdc, 700mA	Line-n-Dot
8218	30W	45-48Vdc, 700mA	Line-n-Dot
8219	7W	21-25Vdc, 280mA	Trisha
8220	12W	28-42Vdc, 280mA	Trisha
8221	18W	28-42Vdc, 420mA	Trisha

DALI DIMMABLE DRIVER

ID	Wattage	Output Current	Suitable For
8224	10W	15-18Vdc, 700mA	Line-n-Dot
8225	12W	28-42Vdc, 280mA	Trisha
8226	18W	28-42Vdc, 420mA	Trisha

Additional Analog / Triac / Dali dimmable drivers for other K-Lite products available on request

RGB Controller



ID : 8110

RGB Signal Amplifier



ID : 8114

FLEXIBLE LED STRIP - ACCESSORIES

ID	Description
8110	144W RGB Controller with remote kit (Upto 5m of 12W RGB strip)
8114	144W RGB Signal Amplifier

CONNECTORS

ID	Description	ID	Description	ID	Description
8160	Two Way Connector	8184	Two Way Connector	8185	Three Way Connector

Three core three way connector suitable for cable 6mm - 10mm

12V SERIES WATERPROOF POWER SUPPLY

ID	Wattage	Output Current
8191	30W	2.5A
8192	60W	5A
8205	100W	8.33A
8193	150W	12.5A

24V SERIES WATERPROOF POWER SUPPLY

ID	Wattage	Output Current
8196	30W	1.25A
8197	60W	2.5A
8198	150W	6.25A
8199	200W	8.33A
8200	300W	12.5A

12V/24V SERIES TRIAC / 0-10V DIMMABLE DRIVER

ID	Wattage	Output Current	IP
8236	60W	12V,5A	20
8261	100W	12V,8.3A	20
8231	100W	12V,8.3A	67
8265	200W	12V,16.7A	20
8233	200W	12V,16.7A	67
8264	60W	24V,2.5A	20
8262	100W	24V,4.2A	20
8237	100W	24V,4.2A	67
8266	200W	24V,8.33A	20
8239	200W	24V,8.33A	67




8300 Two/Three Way Gel Connector



Colour Temperature : 2800-6800K
CHIMNEY BULB
8201 30W



TREE STRAP
8275 1 metre



Illustrative Symbols

Icon	Description	Icon	Description
	Protection against contact with fingers and solid foreign bodies $\varnothing > 12\text{mm}$. no protection against water.		No Maintenance for LED's.
	Protection against solid foreign bodies $\varnothing > 2.5\text{mm}$. no protection against water.		10KV Surge Protection.
	Protection against solid foreign bodies $\varnothing > 1\text{mm}$. no protection against water.		15KV Surge Protection.
	Protection against contact and interior dust deposit. Protection against splashing water from all directions.		Luminaire with CE certification.
	Full protection against contact and penetration of dust. Protection against water(out of a nozzle)from all directions.		Dimmable Driver.
	Full protection against contact and penetration of dust. Protection against temporary immersion.		Luminaire with tiltable option.
	Full protection against contact and penetration of dust. Protection against long term immersion.		Input Voltage.
	All LED Driver are BIS certified.		Symmetrical Light Distribution.
	All LED's are energy saving.		Asymmetrical Light Distribution.
	All LED's have sustainability.		

Review of Applied Symbols

LUMINAIRES

- N4 Separate control gear box if desired, can be given at extra cost on request.
- N5 To be used with power supply unit of suitable rating.
- N6 To be used with controller (amplifier, if needed) and power supply unit(s).
- N7 Armstrong / Gypsum / 'T' Section False Ceiling - 600 Series.
- N8 Supplied with adjustable stainless steel suspension kit (1 metre).
- N9 Musical Arrangement
- N10 Polycarbonate Base.
- N11 Up / Down Lighter.
- N12 UpDown Lighter.
- N13 Down Lighter.

C.O.D : Cutout Dimension.

O.A.D : Over All Dimension.

WW : Warm White (2700-3000K).

NW : Neutral White (4000-4200K).

CW : Cool White (6000-6300K).

SS : Stainless Steel Body.

CGB : Control Gear Box.

TR : Translucent.

LC : Louvre Clear.

LCP : Louvre Clear Prism.

TI Track to be ordered separately.

R1 Rates offered are exclusive of poles and brackets.

S10 Supplied with 10KV surge protection device.

POLE TYPE


- | | | | | | | |
|-----------------|------------------|---------------|------------------|-------------------|-------------------|-----------------------------|
| P1 Swaged pole | P5 Quadra pole | P8 Flat pole | P10 Flaco pole | P12 Bishop pole | P14 Colombia pole | P16 Circular Aluminium pole |
| P2 Conical pole | P7 Circular pole | P9 Slice pole | P11 Florian pole | P13 Causeway pole | P15 Missile pole | P17 Georgia pole |

K-LITE 110

MOUNTING DETAILS


- D1 Post Top Lantern suitable for mounting on 50mm OD pipe.
- D2 Luminaires suitable for mounting on 60mm OD Pipe.
- D3 Post Top Lantern suitable for mounting on 76mm OD pipe.
- D4 Suitable for mounting to internally threaded pipe of designation : M30.
- D6 Suitable for mounting on 38mm OD pipe.
- D7 Suitable for mounting Horizontal on 48mm & Vertical on 60mm OD pipe.
- D8 Bracket suitable for mounting on Swaged pipe to 52mm OD of 200mm Height.
- D11 Suitable for mounting Horizontal 60mm OD pipe & Vertical 76mm OD pipe
- D12 Suitable for mounting Horizontal & Vertical on 60mm OD pipe.
- D13 Suitable for mounting on 101mm OD pipe.
- D14 Suitable for mounting Horizontal & Vertical on 48mm OD pipe.
- D15 Suitable for mounting on 70mm Square pipe.
- D16 Suitable for mounting on 90mm Square pipe.
- D17 Suitable for mounting on swaged pipe to 52mm OD of 100mm Height.
- D20 Suitable for mounting to internally threaded pipe of designation : M20
- D21 Suitable for mounting on swaged pipe to 52mm OD of 140mm Height.
- D22 Suitable for mounting on swaged pipe to 68mm OD of 140mm Height.
- D23 Suitable for mounting on swaged pipe to 81mm OD of 140mm Height.
- D25 Suitable for mounting on swaged pipe to 52mm OD of 180mm Height.
- D26 Luminaires suitable for mounting on 88.9mm OD Pipe.
- D27 Suitable for side mounting on 100mm Square pipe.
- D28 Suitable for side mounting on 80mm Square pipe.

Floor Mounting Luminaires - Mounting Details




Anchor Fastners, Coach screws and Rawl plugs are not included in scope of supply.


Base Plate Details




M37




M38




M39




M40



M41




M42




M43


Wall Brackets - Mounting Details




W2




W3




W8




W11




W12




W14




W15




W16




W17




W18




W19




W20




W21



W22







W23














W25









Anchor Fasteners, Coach screws and Rawlplugs are not included in scope of supply.



Wall Brackets - Mounting Details




Poles - Mounting Details



Anchor Fasteners, Coach screws and Rawlplugs are not included in scope of supply.







Base Plate Details



Anchor Fasteners, Coach screws and Rawl plugs are not included in scope of supply.

K-LITE 114 / F4

Poles - Mounting Details



KP-51

Figure	Pole Height	Base plate (A)	Cable Entry Hole (B)	No. of holes/ bolts (C)	CC (D)	Bolt (E)	Length (F)	Junction box from base plate (G)	Electrical junction box (H)
KP-51.1	5000	□250 × 12thk	Ø70	4	180	M16	500	300	295 × 85
KP-51.2	6000	□250 × 12thk	Ø70	4	180	M16	500	300	295 × 85
KP-51.3	7000	□300 × 16thk	Ø70	4	215	M20	500	300	295 × 85
KP-51.4	8000	□300 × 16thk	Ø70	4	215	M20	500	300	295 × 85
KP-51.5	9000	□300 × 16thk	Ø70	4	215	M20	500	300	295 × 85
KP-51.6	10000	□400 × 16thk	Ø125	4	300	M20	700	300	295 × 85
KP-51.7	11000	□400 × 16thk	Ø125	4	300	M20	700	300	295 × 85
KP-51.8	12000	□400 × 16thk	Ø125	4	300	M24	1000	300	295 × 85

KP-55

Figure	Pole Height	Base plate (A)	Cable Entry Hole (B)	No. of holes/ bolts (C)	PCD (D)	Bolt (E)	Length (F)	Junction box from base plate (G)	Electrical junction box (H)
KP-55.1	12000	Ø500 × 20thk	Ø314	6	410	M24	1000	500	300 × 1000
KP-55.2	16000	Ø540 × 25thk	Ø344	8	460	M24	1000	500	300 × 1200
KP-55.3	20000	Ø600 × 25thk	Ø392	12	500	M24	1200	500	300 × 1200
KP-55.4	25000	Ø740 × 25thk	Ø482	12	620	M24	1200	500	300 × 1200
KP-55.5	30000	Ø850 × 25thk	Ø590	16	730	M24	1200	500	300 × 1200

KP-56

Figure	Base plate (A)	Cable Entry Hole (B)	No. of holes/ bolts (C)	CC (D)	Bolt (E)	Length (F)	Junction box from base plate (G)	Electrical junction box (H)
KP-56.1	□200 × 12thk	Ø70	4	140	M16	300	300	320 × 60
KP-56.2	□200 × 12thk	Ø70	4	140	M16	300	300	330 × 75
KP-56.1 I	□200 × 12thk	Ø70	4	140	M16	300	210	330 × 75

KP-57

Figure	Base plate (A)	Cable Entry Hole (B)	No. of holes/ bolts (C)	CC (D)	Bolt (E)	Length (F)	Junction box from base plate (G)	Electrical junction box (H)
KP-57.3	□250 × 12thk	Ø70	4	180	M16	500	300	320 × 60
KP-57.4	□250 × 12thk	Ø70	4	180	M16	500	300	330 × 75
KP-57.5	□300 × 16thk	Ø70	4	215	M20	500	300	330 × 75
KP-57.7	□300 × 16thk	Ø70	4	215	M20	500	300	330 × 75
KP-57.8	□400 × 16thk	Ø125	4	300	M20	700	300	330 × 75

KP-58

Figure	Height	Base plate (A)	Cable Entry Hole (B)	No. of holes/ bolts (C)	CC (D)	Bolt (E)	Length (F)	Junction box from base plate (G)	Electrical junction box (H)
KP-58.1	6000	400 × 300 × 16thk	160 × 80	4	300 × 200	M20	500	300	330 × 75
KP-58.2	7000	400 × 300 × 16thk	160 × 80	4	300 × 200	M20	500	300	330 × 75
KP-58.3	8000	400 × 300 × 16thk	160 × 80	4	300 × 200	M20	500	300	330 × 75
KP-58.4	9000	400 × 300 × 16thk	160 × 80	4	300 × 200	M20	500	300	330 × 75

KP-72

Figure	Pole Height	Base plate (A)	Cable Entry Hole (B)	No. of holes/ bolts (C)	CC (D)	Bolt (E)	Length (F)	Junction box from base plate (G)	Electrical junction box (H)
KP-72.1	4000	□200 × 12thk	Ø70	4	140	M16	300	520	295 × 85
KP-72.2	5000	□250 × 12thk	Ø70	4	180	M16	500	520	295 × 85
KP-72.3	6000	□250 × 12thk	Ø70	4	180	M16	500	520	295 × 85
KP-72.4	7000	□300 × 12thk	Ø70	4	215	M20	500	520	295 × 85
KP-72.5	8000	□300 × 16thk	Ø70	4	215	M20	500	520	295 × 85
KP-72.6	9000	□300 × 16thk	Ø70	4	215	M20	500	520	295 × 85
KP-72.7	10000	□400 × 16thk	Ø125	4	300	M20	700	520	295 × 85
KP-72.8	11000	□400 × 16thk	Ø125	4	300	M20	700	520	295 × 85
KP-72.9	12000	□400 × 16thk	Ø125	4	300	M24	1000	520	295 × 85

Luminaires

ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.
1591	1	3049	17	3232	23	3335	9	4080	15	4201	33	4356	38	4788	44	4878	63	4988	54	5268	39	5569	45
1592	1	3050	17	3233	23	3337	9	4082	34	4202	33	4357	39	4789	44	4879	63	4990	56	5271	70	5570	45
1594	1	3051	16	3234	21	3338	9	4083	34	4203	33	4358	38	4790	44	4884	53	4993	59	5274	70	5575	45
1595	1	3052	16	3235	21	3339	9	4084	34	4205	33	4359	39	4791	43	4885	60	4994	58	5277	70	5576	45
1596	1	3053	16	3236	16	3340	9	4085	30	4207	32	4361	38	4792	45	4886	60	4996	54	5280	70	5582	41
1597	1	3054	16	3250	26	3341	9	4086	30	4208	32	4362	38	4793	45	4887	56	4997	54	5281	71	5583	41
2270	1	3055	16	3251	26	3600	39	4088	29	4209	33	4363	38	4794	44	4888	62	4998	58	5283	70	5589	41
2281	1	3056	12	3252	27	3610	17	4089	31	4210	38	4364	39	4795	41	4889	62	4999	59	5284	71	5590	50
2625	36	3057	12	3253	27	3611	17	4090	31	4211	38	4401	70	4796	41	4890	61	5000	59	5286	71	5591	41
2735	36	3058	18	3254	27	3653	39	4091	31	4212	38	4402	70	4797	41	4891	61	5001	59	5287	71	5592	41
2741	37	3060	11	3255	27	3654	39	4092	31	4214	38	4403	70	4798	41	4892	61	5004	59	5289	71	5616	40
2742	37	3061	11	3256	26	3655	39	4093	31	4219	39	4404	70	4799	41	4893	61	5007	55	5290	71	5633	40
2743	37	3062	11	3257	26	3656	39	4097	31	4221	38	4405	70	4800	41	4894	60	5010	55	5292	70	5634	40
2745	37	3063	16	3258	26	3657	39	4098	31	4223	34	4406	71	4801	46	4895	60	5022	54	5298	32	5635	68
2746	37	3064	11	3259	26	3658	39	4105	29	4224	34	4407	71	4802	46	4896	60	5023	54	5299	70	5636	68
2747	37	3065	11	3260	26	3659	14	4107	31	4225	34	4408	71	4803	46	4897	61	5024	55	5300	70	5688	48
2749	36	3066	25	3261	26	3660	14	4109	29	4226	49	4409	71	4804	46	4899	61	5025	55	5308	70	5690	48
2750	36	3067	25	3264	25	3661	15	4111	29	4227	49	4410	71	4805	46	4900	60	5027	56	5311	61	5737	47
2753	37	3068	25	3270	30	3662	14	4116	29	4228	49	4411	71	4806	46	4901	60	5030	58	5332	52	5740	47
2754	37	3070	25	3271	30	3665	39	4127	29	4229	49	4412	70	4807	46	4902	60	5031	56	5333	70	5744	47
2755	37	3071	28	3272	30	3666	39	4129	29	4230	49	4500	56	4808	46	4903	54	5032	59	5339	55	5747	47
2756	37	3072	28	3273	30	3667	39	4130	29	4231	49	4501	56	4809	46	4904	54	5038	57	5340	55	5752	47
2757	37	3078	28	3274	30	3669	38	4131	29	4234	50	4502	56	4810	46	4905	52	5039	57	5345	70	5753	47
2758	37	3082	20	3275	30	3674	56	4132	29	4235	50	4503	56	4811	46	4906	52	5040	57	5346	70	5800	41
2759	36	3084	20	3276	30	3676	14	4133	31	4236	50	4504	56	4812	46	4907	52	5070	52	5351	59	6064	56
2760	36	3085	21	3277	30	3677	15	4134	31	4237	50	4505	56	4813	46	4911	53	5071	52	5352	59	6300	69
2761	36	3086	21	3278	30	3678	15	4135	31	4238	42	4506	58	4814	46	4912	53	5072	52	5353	59	6420	32
2762	36	3087	21	3279	30	3679	15	4136	31	4239	39	4648	62	4815	46	4913	53	5073	52	5366	64	6466	31
2763	36	3092	25	3280	30	3680	14	4137	31	4240	69	4649	62	4816	46	4915	57	5074	52	5367	64	6476	31
2766	36	3094	25	3281	30	3681	14	4138	31	4241	40	4650	62	4817	46	4916	57	5075	52	5368	64	6481	31
2767	36	3098	19	3288	10	3683	14	4139	31	4242	40	4651	62	4818	46	4917	58	5076	53	5370	55	6533	35
2768	36	3099	19	3289	10	3684	14	4140	31	4243	40	4652	62	4819	46	4918	58	5082	53	5371	55	6583	41
2769	37	3100	19	3290	10	3685	14	4141	31	4244	34	4653	62	4820	46	4919	59	5083	53	5372	59	6592	60
2770	37	3113	19	3291	10	3686	14	4142	31	4245	34	4654	64	4821	46	4920	59	5084	53	5373	59	6604	35
2771	16	3171	18	3292	5	3687	14	4144	31	4246	34	4655	64	4822	46	4921	39	5087	53	5380	57	6648	32
2772	16	3172	18	3293	5	3688	14	4146	31	4247	40	4656	64	4823	47	4922	63	5088	53	5381	57	6649	32
2773	37	3173	18	3294	5	3689	15	4147	31	4248	24	4738	107	4824	47	4923	57	5090	54	5382	55	6700	29
2867	16	3174	16	3295	5	3690	15	4148	68	4249	24	4740	107	4825	47	4924	57	5092	54	5383	56	6740	29
2868	16	3175	16	3296	10	3691	14	4149	68	4250	24	4741	107	4826	47	4926	57	5093	55	5384	56	6759	44
2869	18	3187	19	3298	10	3692	15	4152	105	4257	34	4742	107	4827	47	4930	58	5094	55	5401	55	6762	29
2870	18	3188	19	3299	10	3693	15	4153	105	4258	34	4743	107	4828	47	4931	58	5095	54	5402	55	6777	29
2871	18	3189	19	3300	7	3694	15	4157	69	4259	34	4744	107	4829	47	4932	59	5096	55	5425	70	6778	44
2872	18	3190	19	3301	7	3695	15	4158	69	4260	34	4745	107	4830	47	4933	54	5098	56	5426	70	6788	32
2873	18	3192	16	3302	7	3696	15	4159	68	4261	34	4746	107	4831	46	4937	53	5100	54	5427	70	6789	32
2874	17	3193	16	3303	7	3776	39	4160	68	4263	35	4752	51	4832	46	4938	55	5125	69	5432	52	6790	69
2875	17	3194	10	3306	7	3777	39	4162	68	4264	35	4753	51	4834	46	4939	60	5129	68	5433	52	6791	61
2876	17	3195	11	3307	1	3778	15	4163	67	4265	35	4754	43	4835	46	4941	60	5131	68	5434	52	6794	60
2877	17	3196	20	3308	1	3780	18	4164	67	4266	35	4755	43	4837	46	4943	60	5132	68	5435	58	6798	32
2878	18	3197	20	3309	1	3796	38	4165	68	4267	35	4756	47	4838	46	4944	54	5133	68	5436	58	6799	61
2879	18	3198	20	3310	1	3797	38	4166	69	4268	35	4758	44	4840	48	4945	54	5134	105	5440	50	6800	60
2880	16	3200	21	3311	1	3980	15	4167	68	4270	35	4759	44	4841	48	4946	54	5135	105	5442	51	6802	52
2881	16	3201	21	3312	1	4000	15	4169	69	4271	35	4760	44	4842	48	4949	56	5136	105	5451	48	6803	52
2882	17	3202	21	3313	1	4030	40	4170	69	4272	35	4761	44	4847	48	4950	60	5137	105	5452	48	6805	34
2883	17	3203	21	3314	1	4032	40	4171	68	4273	35	4762	44	4848	48	4953	63	5138	61	5453	48	6900	35
3006	16	3206	15	3315	1	4038	40	4173	68	4274	35	4763	51	4849	57	4954	63	5139	61	5454	48	6933	55
3009	16	3207	15	3316	1	4039	40	4174	67	4291	67	4764	51	4850	57	4955	60	5148	68	5455	41	6934	55
3014	16	3208	13	3317	1	4040	40	4175	67	4292	67	4765	51	4854	64	4964	54	5149	68	5460	56	6950	60
3021	16	3209	13	3318	1	4042	40	4176	68	4293	67	4766	51	4861	64	4968	64	5150	69	5461	58	6951	48
3022	16	3210	13	3319	6	4043	40	4177	67	4294	67	4767	51	4862	62	4969	64	5151	69	5470	53	6952	48
3023	16	3211	13	3320	10	4046	40	4178	67	4295	67	4768	51	4863	62	4970	39	5152	68	5476	53	6953	48
3025	16	3212	13	3321	2	4049	40	4179	67	4296	67	4769	51	4864	62	4971	39	5153	68	5477	53	6954	48
3026	16	3213	13	3322	2	4051	40	4180	67	4297	77	4770	50	4865	62	4973	54	5154	69				

Luminaires

ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.
7671	2	7741	5	7850	24	8114	109	8179	28	8192	109	8201	109	8212	11	8221	109	8237	109	8246	30
7672	2	7803	15	7897	39	8137	109	8180	28	8193	109	8204	3	8213	11	8224	109	8239	109	8247	30
7673	49	7807	15	7898	39	8138	109	8184	109	8196	109	8205	109	8216	109	8225	109	8241	3	8248	30
7674	6	7814	15	7945	24	8140	109	8185	109	8197	109	8208	11	8217	109	8226	109	8242	30	8249	109
7695	38	7819	15	7949	24	8160	109	8186	7	8198	109	8209	11	8218	109	8231	109	8243	30	8250	109
7736	6	7824	15	7967	24	8177	3	8187	7	8199	109	8210	11	8219	109	8233	109	8244	30	8251	109
7739	5	7849	24	8110	109	8178	3	8191	109	8200	109	8211	11	8220	109	8236	109	8245	30	8252	109

Poles / Brackets

ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.	ID	Pg.
KP 1011	108	KP 3830	80	KP 4290	79	KP 4389	89	KP 4758	81	KP 6005	79	KP 7262	79	KP 8041	94	KP 8199	95	KP 8317	92
KP 1012	108	KP 3831	81	KP 4295	79	KP 4390	89	KP 4759	81	KP 6006	79	KP 7263	79	KP 8042	94	KP 8204	92	KP 8320	85
KP 1013	108	KP 3832	81	KP 4302	87	KP 4391	89	KP 4761	76	KP 6010	79	KP 7264	79	KP 8043	94	KP 8205	92	KP 8321	85
KP 1014	108	KP 3833	81	KP 4303	87	KP 4392	89	KP 4762	76	KP 6013	79	KP 7267	73	KP 8044	94	KP 8207	92	KP 8322	100
KP 1017	108	KP 3839	85	KP 4304	87	KP 4393	89	KP 4763	76	KP 6014	79	KP 7268	72	KP 8046	90	KP 8229	94	KP 8323	100
KP 1018	108	KP 3840	85	KP 4305	87	KP 4394	89	KP 4764	76	KP 7166	90	KP 7269	72	KP 8048	90	KP 8230	94	KP 8324	100
KP 1031	105	KP 3843	85	KP 4306	87	KP 4395	89	KP 4765	76	KP 7167	90	KP 7270	72	KP 8054	90	KP 8233	94	KP 8326	104
KP 1032	105	KP 3844	85	KP 4307	87	KP 4396	89	KP 4767	73	KP 7168	91	KP 7271	72	KP 8055	90	KP 8234	94	KP 8327	104
KP 1034	102	KP 3845	90	KP 4308	89	KP 4411	83	KP 4768	73	KP 7169	91	KP 7272	72	KP 8056	90	KP 8235	94	KP 8328	96
KP 1035	102	KP 3849	91	KP 4309	89	KP 4412	83	KP 4769	104	KP 7172	90	KP 7273	72	KP 8057	90	KP 8236	94	KP 8329	96
KP 1036	102	KP 3851	82	KP 4310	97	KP 4413	83	KP 4770	104	KP 7173	90	KP 7274	72	KP 8058	90	KP 8237	96	KP 8330	96
KP 1037	105	KP 3852	82	KP 4314	82	KP 4416	83	KP 4771	79	KP 7174	90	KP 7275	72	KP 8059	90	KP 8238	96	KP 8331	96
KP 1038	105	KP 3856	105	KP 4315	82	KP 4474	83	KP 4772	79	KP 7175	90	KP 7276	72	KP 8060	90	KP 8241	95	KP 8332	96
KP 1062	103	KP 3857	105	KP 4316	82	KP 4476	83	KP 4773	79	KP 7176	90	KP 7283	90	KP 8061	90	KP 8242	95	KP 8333	95
KP 1063	103	KP 3858	80	KP 4317	82	KP 4485	83	KP 4774	79	KP 7182	90	KP 7284	90	KP 8062	94	KP 8243	96	KP 8334	95
KP 1064	103	KP 3859	91	KP 4324	87	KP 4486	83	KP 4775	79	KP 7183	90	KP 7285	91	KP 8063	94	KP 8244	96	KP 8335	95
KP 1065	103	KP 3860	91	KP 4325	87	KP 4502	84	KP 4779	79	KP 7184	90	KP 7286	91	KP 8064	94	KP 8247	98	KP 8336	95
KP 1066	103	KP 3861	90	KP 4326	87	KP 4503	84	KP 4780	79	KP 7185	95	KP 7287	91	KP 8065	94	KP 8248	98	KP 8337	95
KP 1100	66	KP 4154	82	KP 4327	89	KP 4504	84	KP 4781	79	KP 7186	95	KP 7288	91	KP 8066	94	KP 8249	96	KP 8338	95
KP 1106	66	KP 4155	82	KP 4328	89	KP 4505	84	KP 4782	79	KP 7188	95	KP 7289	90	KP 8067	94	KP 8250	96	KP 8341	96
KP 1180	66	KP 4160	87	KP 4334	87	KP 4518	84	KP 4783	79	KP 7192	92	KP 7290	91	KP 8068	94	KP 8253	96	KP 8342	96
KP 1716	66	KP 4169	89	KP 4335	87	KP 4519	84	KP 4784	79	KP 7193	92	KP 7291	91	KP 8069	94	KP 8254	96	KP 8343	97
KP 1717	66	KP 4187	87	KP 4336	87	KP 4534	84	KP 4786	79	KP 7194	93	KP 7292	93	KP 8078	93	KP 8255	98	KP 8344	97
KP 1796	66	KP 4188	87	KP 4337	87	KP 4535	84	KP 4787	79	KP 7195	93	KP 7293	93	KP 8079	93	KP 8256	98	KP 8345	97
KP 1797	66	KP 4190	82	KP 4338	87	KP 4536	84	KP 4790	79	KP 7196	93	KP 7295	93	KP 8080	93	KP 8258	96	KP 8346	97
KP 1798	66	KP 4193	82	KP 4339	87	KP 4537	84	KP 4791	79	KP 7200	94	KP 7296	93	KP 8081	93	KP 8259	96	KP 8347	97
KP 1799	66	KP 4196	89	KP 4340	87	KP 4544	82	KP 4792	79	KP 7201	94	KP 7297	93	KP 8090	93	KP 8274	98	KP 8348	97
KP 1800	66	KP 4198	85	KP 4344	87	KP 4545	82	KP 4793	74	KP 7202	94	KP 7298	93	KP 8091	93	KP 8275	98	KP 8349	97
KP 1801	66	KP 4199	85	KP 4345	87	KP 4546	82	KP 4794	74	KP 7203	94	KP 7299	93	KP 8092	93	KP 8276	98	KP 8350	96
KP 1802	66	KP 4200	85	KP 4346	87	KP 4547	82	KP 4795	74	KP 7204	94	KP 7300	93	KP 8093	93	KP 8277	98	KP 8351	96
KP 1803	66	KP 4207	81	KP 4347	87	KP 4627	83	KP 4813	74	KP 7208	90	KP 7301	93	KP 8094	93	KP 8282	98	KP 9101	79
KP 1804	66	KP 4208	81	KP 4348	87	KP 4628	83	KP 4816	74	KP 7209	90	KP 7302	93	KP 8095	93	KP 8283	98	KP 9102	79
KP 1811	66	KP 4209	81	KP 4351	87	KP 4629	83	KP 4817	74	KP 7210	92	KP 7501	92	KP 8105	93	KP 8284	98	KP 9103	79
KP 2069	66	KP 4221	81	KP 4352	87	KP 4630	83	KP 4818	73	KP 7211	92	KP 7502	92	KP 8109	93	KP 8285	98	KP 9105	79
KP 2070	66	KP 4222	81	KP 4359	85	KP 4674	82	KP 4819	73	KP 7212	93	KP 7503	92	KP 8119	100	KP 8286	98	KP 9106	79
KP 2519	80	KP 4223	81	KP 4360	85	KP 4675	82	KP 4820	73	KP 7213	93	KP 7504	93	KP 8120	101	KP 8287	98	KP 9107	79
KP 2520	80	KP 4228	85	KP 4364	79	KP 4676	82	KP 4821	73	KP 7214	93	KP 7505	93	KP 8122	100	KP 8288	96	KP 9108	79
KP 2521	80	KP 4230	85	KP 4365	79	KP 4681	83	KP 4822	73	KP 7215	93	KP 7506	98	KP 8131	101	KP 8289	96	KP 9109	79
KP 2522	80	KP 4237	85	KP 4367	81	KP 4684	83	KP 4823	74	KP 7216	94	KP 7507	98	KP 8136	92	KP 8290	98	KP 9110	79
KP 3797	80	KP 4238	79	KP 4368	81	KP 4691	83	KP 4835	77	KP 7217	94	KP 7508	98	KP 8139	91	KP 8291	98		
KP 3798	80	KP 4239	79	KP 4369	81	KP 4694	83	KP 4836	77	KP 7218	95	KP 7509	98	KP 8140	91	KP 8298	95		
KP 3799	80	KP 4240	79	KP 4370	81	KP 4704	101	KP 4837	77	KP 7219	95	KP 7510	99	KP 8149	95	KP 8299	95		
KP 3800	80	KP 4257	85	KP 4371	81	KP 4707	101	KP 4838	77	KP 7220	95	KP 7511	99	KP 8150	95	KP 8300	93		
KP 3801	80	KP 4258	85	KP 4372	81	KP 4708	104	KP 4839	77	KP 7221	76	KP 7512	99	KP 8174	91	KP 8301	93		
KP 3802	80	KP 4259	85	KP 4373	81	KP 4713	104	KP 4840	77	KP 7222	76	KP 7513	99	KP 8175	91	KP 8302	93		
KP 3807	82	KP 4260	85	KP 4374	81	KP 4717	100	KP 4841	77	KP 7225	76	KP 7514	99	KP 8176	91	KP 8303	93		
KP 3808	82	KP 4267	79	KP 4376	81	KP 4718	100	KP 4862	75	KP 7226	76	KP 7515	99	KP 8178	91	KP 8304	92		
KP 3809	82	KP 4268	79	KP 4377	81	KP 4719	100	KP 4863	75	KP 7229	76	KP 7516	99	KP 8179	91	KP 8305	92		
KP 3816	80	KP 4269	79	KP 4378	87	KP 4723	101	KP 4864	75	KP 7230	76	KP 7517	99	KP 8180	91	KP 8306	92		
KP 3817	80	KP 4270	79	KP 4379	87	KP 4724	101	KP 4865	75	KP 7231	72	KP 7518	99	KP 8182	92	KP 8307	92		
KP 3818	80	KP 4277	79	KP 4380	87	KP 4725	104	KP 4866	75	KP 7232	72	KP 7519	99	KP 8183	91	KP 8308	99		
KP 3819	80	KP 4278	79	KP 4381	87	KP 4728	84	KP 4867	75	KP 7233	72	KP 7520	99	KP 8185	92	KP 8309	99		
KP 3822	80	KP 4279	79	KP 4382	87	KP 4729	84	KP 4868	75	KP 7234	72	KP 7521	99	KP 8186	92	KP 8310	99		
KP 3823	80	KP 4280	79	KP 4383	87	KP 4730	84	KP 4869	75	KP 7250	73	KP 7522	99	KP 8187	95	KP 8311	99		
KP 3824	80	KP 4284	79	KP 4384	89	KP 4731	84	KP 4870	75	KP 7254	79	KP 7523	99	KP 8188	95	KP 8312	99		
KP 3825	80	KP 4285	79	KP 4385	89	KP 4732	84	KP 4871	75	KP 7255	79	KP 7524	95	KP 8192	92	KP 8313	99		
KP 3827	80	KP 4287	81	KP 4386	89	KP 4733	84	KP 4872	75	KP 7256	79	KP 7525	95	KP 8193	92	KP 8314	92		
KP 3828	80	KP 4288	81	KP 4387	89	KP 4734	84	KP 4873	75	KP 7260	79	KP 7531	94	KP 8194	92	KP 8315	92		
KP 3829	80	KP 4289	81	KP 4388	89	KP 4735	84	KP 6004	79	KP 7261	79	KP 7532	94	KP 8198	95	KP 8316	92		

General Conditions

- K-Lite reserves the right to discontinue any products from its range at any time whatsoever and without prior notice.
- K-Lite also reserves the right to make technical and photometric modifications as well as to change any parts, details or finishes deemed suitable for improvement purposes and commercial requirements.
- The pole & product compositions shown in the catalogue are merely indicative.
- The data and information contained in these pages is to be considered indicative and non-binding K-Lite reserves the right to cancel, alter, or rectify the data and information for technical and technological reasons.
- K-Lite will try to do everything in its power to ensure that all the data and information herein are correct and up-to-date when printed, yet shall not be held accountable if, regardless of various proofreads, there should be inaccuracies or error because that are out of K-Lite control.
- Sketches are not to scale. General manufacturing tolerances are applicable to the dimensions furnished. All dimensions are in mm.

Guarantee

- K-Lite warrants that their products are free from any defect in manufacturing and / or material in case of proper use.
- Products / Solutions should be used within their specifications (e.g. Temperature, water ingress, IP rating for indoor / outdoor installations) and according to application guidelines. Please refer to installation guidelines available on the web page www.klite.in
- Warranty becomes void if the product is improperly applied and if the damage is caused by improper use or installation.
- K-Lite luminaire if subsequently modified, the persons responsible for the modification shall be considered as manufacturer.
- Fundamental failure's that will not be considered for warranty
 - (a) Short circuit in the input part while connecting the wires.
 - (b) Excess heating up of the frame due to which failure in the operation of the driver, control gear or LED.
 - (c) Physical damage of any components or product, due to improper handling.

Information

- For enquiries, information and update www.klite.in
- All rights reserved. Reproduction in whole or in part is prohibited.
- Disputes, if any, are subject to CHENNAI jurisdiction only.

For Latest Products Visit @ www.klite.in

OUR CORPORATE SOCIAL RESPONSIBILITY

SOLAR
POWERED
PLANT

RAINWATER
HARVESTING

EQUAL
EMPLOYMENT
OPPORTUNITIES
& SKILL
TRAINING


EMPOWERING
WOMEN
>45%
WOMEN
WORK FORCE

ECO
FRIENDLY
PACKING

SUSTAINABLE
PRODUCTS
PROUDLY
MADE IN **INDIA**

K-KLITE

K-LITE



K-LITE INDUSTRIES

D-10, Ambattur Industrial Estate, Chennai - 600 058

T: 26257710, 48581950. F: 26257866

M: 95000 79797, 95000 85511 E: info@klite.in W: www.klite.in

Unit II

23B, SIDCO Industrial Estate, Chennai - 600 098

Unit III

179 & 180, SIDCO Industrial Estate, Chennai - 600 098

FACTORY Display Centres

- G6 & G8, Ambattur Industrial Estate, Chennai - 600 058

Bhopal

- Plot No.E-30, E-29, Industrial Area, Phase-II, Mandideep, Tehsil Goharganj District - 462046 Raisen (M.P). M: 80853 94413

Delhi

- 928, Shop No. 2, Khasra No. 402, Main MG Road, Ghitorni, New Delhi - 110 030. (Opposite Metro Pillar 118)

London

- Bailey House, 4-10 Barttelot Road, Horsham, West Sussex, RH12 1DQ
T: +44(0)208 012 8393 M: +44(0)7779 024 674
E: info@k-lite.co.uk W: www.k-lite.co.uk

Dubai

- 3003 Churchill Towers, Business Bay, Dubai PO Box : 691464